

# MAZDA BT-50



ZOOM-ZOOM



mazda



## MAZDA BT-50 SINGLE CAB XS

- » Cab chassis
- » 17-inch steel wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go<sup>†</sup>
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)<sup>§</sup>
- » Android Auto™ (wireless & USB)<sup>§</sup>
- » Bluetooth® hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Autonomous Emergency Braking(AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) – Overtaking<sup>†</sup>
- » Emergency Lane Keeping (ELK) with road edge detection<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>

## POWERTRAIN

- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2
- » Transmission: 8-speed automatic
- » Max power: 120kW @ 3,600 rpm
- » Max torque: 400Nm @ 1,600-2,400rpm
- » Fuel consumption (combined): 6.9L/100km\*

<sup>§</sup>Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. <sup>†</sup>Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 SINGLE CAB XT

- » Cab chassis
- » 17-inch alloy wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go<sup>†</sup>
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)<sup>§</sup>
- » Android Auto™ (wireless & USB)<sup>§</sup>
- » Bluetooth® hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Autonomous Emergency Braking(AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) – Overtaking<sup>†</sup>
- » Emergency Lane Keeping (ELK) with road edge detection<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane-keep Assist System (LAS)<sup>†</sup>
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\* (4x2 and 4x4)

<sup>§</sup>Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. <sup>†</sup>Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 FREESTYLE CAB XT

- » Cab chassis
- » 17-inch alloy wheels
- » Freestyle door system
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go<sup>†</sup>
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)<sup>§</sup>
- » Android Auto™ (wireless & USB)<sup>§</sup>
- » Bluetooth® hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>

- » Autonomous Emergency Braking(AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) – Overtaking<sup>†</sup>
- » Emergency Lane Keeping (ELK) with road edge detection<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane-keep Assist System (LAS)<sup>†</sup>

- » Locking Rear Differential (LRD) – switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Rear Cross Traffic Brake (RCTB)<sup>†</sup>
- » Reverse camera
- » Roll Over Protection (ROP)<sup>†</sup>
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\* (4x2 and 4x4)

<sup>§</sup>Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. <sup>†</sup>Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 DUAL CAB XS

- » Cab chassis or Pickup
- » 17-inch steel wheels (17-inch alloy wheels 4x4 pickup)
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Tailgate Assist (pickup models only)
- » Black cloth seat trim
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Idle Stop System
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go<sup>†</sup>
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)<sup>§</sup>
- » Android Auto™ (wireless & USB)<sup>§</sup>
- » Bluetooth® hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front, 1 rear)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>

- » Automatic High Beam (AHB)<sup>†</sup>
- » Autonomous Emergency Braking(AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) - Overtaking<sup>†</sup>
- » Emergency Lane Keeping (ELK) with road edge detection<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>

- » Lane-keep Assist System (LAS)<sup>†</sup>
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Rear Cross Traffic Brake (RCTB)<sup>†</sup>
- » Rear parking sensors (pickup only)
- » Reverse camera
- » Roll Over Protection (ROP)<sup>†</sup>
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>

## POWERTRAIN

- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 (pick-up only) or 4x4
- » Transmission: 8-speed automatic
- » Max power: 120kW @ 3,600 rpm
- » Max torque: 400Nm @ 1,600-2,400rpm
- » Fuel consumption (combined): 7.1L/100km\* (4x4 cab chassis) or 6.3L/100km\* (4x2 pickup) or 6.6L/100km\* (4x4 pickup)

<sup>§</sup>Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. <sup>†</sup>Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 DUAL CAB XT

- » Cab chassis or Pickup
- » 17-inch alloy wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Tailgate Assist (pickup models only)
- » Black cloth seat trim
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Idle Stop System
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go<sup>†</sup>
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)<sup>§</sup>
- » Android Auto™ (wireless & USB)<sup>§</sup>
- » Bluetooth® hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front, 1 rear)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>

- » Automatic High Beam (AHB)<sup>†</sup>
- » Autonomous Emergency Braking(AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) - Overtaking<sup>†</sup>
- » Emergency Lane Keeping (ELK) with road edge detection<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\* (4x2 and 4X4 cab chassis) or 7.1L/100km\* (4x2 pickup and 4x4 pickup)

<sup>§</sup>Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. <sup>†</sup>Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 DUAL CAB BOSS – ADDITIONAL TO XT

- » Pickup
- » Gloss black exterior mirrors
- » Gloss black door handles
- » Gloss black tailgate handle
- » Black steel sports bar
- » Black side steps
- » Tub liner



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.1L/100km\*



## MAZDA BT-50 DUAL CAB XTR – ADDITIONAL TO XT

- » Cab chassis or Pickup
- » 18-inch black and machined alloy wheels
- » Front fog lamps (LED)
- » LED headlamps with auto levelling
- » Power folding exterior mirrors
- » Silver side steps
- » Signature daytime running lamps
- » Tow bar with receiver, tongue and wiring harness
- » Tub liner (pickup models only)
- » 9-inch full-colour touch screen
- » Advanced keyless entry
- » Auto-dimming interior mirror
- » Carpet floor covering
- » Dual zone climate control air-conditioning with rear vents
- » Leather wrapped steering wheel and gear knob
- » Rear seat with centre armrest
- » Satellite navigation
- » Tyre Pressure Monitoring System (TPMS)
- » USB-C charging points (2 front, 1 rear)
- » 360° view monitor (pickup only)

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 (pick-up only) or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\* (4x4 cab chassis) or 7.1L/100km\* (4x2 and 4x4 pickup)



## MAZDA BT-50 DUAL CAB GT – ADDITIONAL TO XTR

- » Cab chassis or Pickup
- » Heated front seats
- » Heated exterior mirrors
- » Remote engine start
- » Black leather seat trim<sup>#</sup>
- » Front parking sensors<sup>†</sup>  
(pickup only)
- » Driver's seat with 8-way power adjustment



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\* (4x4 cab chassis) or 7.1L/100km\* (4x4 pickup)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. <sup>#</sup>Leather interior includes some Maztex material on selected high impact surfaces. <sup>^</sup>Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



## MAZDA BT-50 DUAL CAB SP – ADDITIONAL TO GT

- » Pickup
- » 18-inch black alloy wheels
- » Gloss black sail plane sports bar
- » Black side steps
- » Gloss black fender flares
- » Gloss black roof rails
- » Gloss black exterior mirrors
- » Gloss black door and tailgate handles
- » Roller tonneau cover (manual operation)
- » Black & terracotta Maztex & cloth seat trim



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km\*

\* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



## MAZDA BT-50 DUAL CAB THUNDER – ADDITIONAL TO GT

- » Pickup
- » Single hoop bull bar
- » Lightforce™ Beast driving lights
- » Black side steps
- » Black premium steel long leg sports bar
- » Gloss black door handles
- » Manual roller tonneau



## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.1L/100km\*

\* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

## CHOOSE YOUR COLOUR AND TRIMS



Ice White Solid

Geode White Pearl~

Ingot Silver Metallic~

Concrete Grey Mica~

Sailing Blue Metallic~

Red Earth Metallic~

True Black Mica~



Black cloth XS, XT, Boss and XTR

Black leather# (GT and Thunder)

Black & Terracotta Maztex and  
synthetic suede

17-inch alloy on XT and Boss

18-inch black and machined alloy on  
XTR, GT and Thunder

18-inch black alloy on  
SP model

# SPECIFICATIONS

	4x2						
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR
<b>Powertrain</b>							
Engine type	2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
Engine capacity	2,164cc		2,999cc		2,164cc		2,999cc
Bore and stroke	83.0mm x 100.0mm		95.4mm x 104.9mm		83.0mm x 100.0mm		95.4mm x 104.9mm
Compression ratio	15.9 : 1		16.3 : 1		15.9 : 1		16.3 : 1
Maximum power	120kW @ 3,600 rpm		140kW @ 3,600 rpm		120kW @ 3,600 rpm		140kW @ 3,600 rpm
Maximum torque	400 @ 1,600-2,400 rpm		450 @ 1,600-2,600 rpm		400 @ 1,600-2,400 rpm		450 @ 1,600-2,600 rpm
Throttle control				Electronic (drive-by-wire)			
Fuel system				Common-rail, electronic direct injection			
Fuel tank capacity				76 litres			
Recommended fuel				Diesel			
Fuel consumption*	Combined	6.9		7.8	6.3	7.1	7.1
	Extra urban	6.3		7.4	5.5	6.4	6.5
	Urban	8.1		8.4	7.8	8.3	8.3
CO <sub>2</sub> Emissions (g/km)*	Combined	183		204	167	185	187
Emissions standard				Euro stage V			
Alternator				12 volts - 90 amps			
Automatic transmission	8-speed		6-speed		8-speed		6-speed
Gear ratio	1st	4.903		3.600	4.903		3.600
	2nd	3.120		2.090	3.120		2.090
	3rd	2.166		1.488	2.166		1.488
	4th	1.597		1.000	1.597		1.000
	5th	1.312		0.687	1.312		0.687
	6th	1.000		0.580	1.000		0.580
	7th	0.776		—	0.776		—
	8th	0.651		—	0.651		—
	reverse	4.050		3.732	4.050		3.732
	final drive	3.583		3.727	3.583		3.727

\* Fuel consumption and CO<sub>2</sub> figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

# SPECIFICATIONS

	4x4																					
Powertrain	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder									
Engine type	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System						3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System											
Engine capacity	2,999cc	2,164cc	2,999cc						2,164cc	2,999cc												
Bore and stroke	95.4mm x 104.9mm	83.0mm x 100.0mm	95.4mm x 104.9mm						83.0mm x 100.0mm	95.4mm x 104.9mm												
Compression ratio	16.3 : 1	15.9 : 1	16.3 : 1						15.9 : 1	16.3 : 1												
Maximum power	140kW @ 3,600 rpm	120kW @ 3,600 rpm	140kW @ 3,600 rpm						120kW @ 3,600 rpm	140kW @ 3,600 rpm												
Maximum torque	450Nm @ 1,600-2,600 rpm	400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm						400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm												
Throttle control	Electronic (drive-by-wire)																					
Fuel system	Common-rail, electronic direct injection																					
Fuel tank capacity	76 litres																					
Recommended fuel	Diesel																					
Fuel consumption*	Combined	7.8	7.1	7.8	6.6	7.1						7.8	7.1									
	Extra urban	7.4	6.5	7.4	6.5	6.5						7.4	6.5									
	Urban	8.4	8.2	8.4	8.2	8.3						8.4	8.3									
CO <sub>2</sub> Emissions (g/km)*	Combined	204	188	204	174	187						204	187									
Emissions standard	Euro stage V																					
Alternator	12 volts - 90 amps																					
Automatic transmission	6-speed		8-speed		6-speed		8-speed		6-speed		6-speed											
Gear ratio	1st	3.600	4.903	3.600		4.903		3.600		2.090		3.600										
	2nd	2.090	3.120	2.090		3.120		1.488		2.166		2.090										
	3rd	1.488	2.166	1.488		1.000		1.000		1.597		1.488										
	4th	1.000	1.597	0.687		0.687		0.687		1.312		1.000										
	5th	0.687	1.312	0.580		0.580		0.580		1.000		0.687										
	6th	0.580	1.000	—		—		—		0.776		0.580										
	7th	—	0.776	—		—		—		0.651		—										
	8th	—	0.651	3.732		3.732		4.050		0.651		—										
	reverse	3.732	4.050	3.727		3.727		3.583		3.583		3.732										
	final drive	3.727	3.583	1.000		1.000		1.000		1.000		3.727										
Transfer gear	high	1.000	1,000	2.482		2.482		2.482		2.482		1.000										
	low	2.482	2.482	2.482		2.482		2.482		2.482		2.482										

\* Fuel consumption and CO<sub>2</sub> figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

# SPECIFICATIONS

		4x2							
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR
<b>Chassis</b>									
Brake diameter	front					320 mm			
	rear					295 mm			
Brake type	front					Ventilated disc			
	rear					Drum			
Steering type						Electric Power Assist Steering (EPAS)			
Suspension type	front					Independent double wishbone with coil springs and anti-roll bar			
	rear					Rigid (live) rear axle with heavy-duty leaf springs			
Turning circle	kerb to kerb					12.5 m			
Tyre size						255/65 R17			265/60 R18
Tyre index						110S			
Wheel size						17 x 7.0 J			18 x 7.5 J
Wheel type		Steel	Alloy	Alloy	Steel	Alloy	Steel	Alloy	Alloy
Wheel size (spare)					17 x 7.0 J				18 x 7.5 J
Wheel type (spare)					Steel				Alloy

		4x4												
		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Chassis</b>														
Brake diameter	front							320 mm						
	rear							295 mm						
Brake type	front							Ventilated disc						
	rear							Drum						
Steering type								Electric Power Assist Steering (EPAS)						
Suspension type	front							Independent double wishbone with coil springs and anti-roll bar						
	rear							Rigid (live) rear axle with heavy-duty leaf springs						
									Rigid (live) rear axle with leaf springs					
Turning circle	kerb to kerb								12.5 m					
Tyre size				255/65 R17			265/60 R18		255/65 R17				265/60 R18	
Tyre index								110S						
Wheel size				17 x 7.0 J			18 x 7.5 J		17 x 7.0 J				18 x 7.5 J	
Wheel type		Steel	Alloy	Steel	Alloy		Alloy		Alloy				Alloy	
Wheel size (spare)				17 x 7.0 J			18 x 7.5 J		17 x 7.0 J				18 x 7.5 J	
Wheel type (spare)				Steel			Alloy		Steel				Alloy	

# SPECIFICATIONS

	4X2							4X4														
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder			
<b>Weights and capacities</b>																						
Axle capacity	front				1,450 kg								1,450 kg									
	rear				1,910 kg								1,910 kg									
Gross Combined Mass (GCM) <sup>1</sup>					5,850 kg								6,000 kg									
Gross Vehicle Mass (GVM) <sup>2</sup>					3,000 kg								3,100 kg									
Kerb weight <sup>3</sup>		1,643 kg	1,684 kg	1,755 kg	1,806 kg	1,888 kg	1,929 kg	2,012 kg	1,770 kg	1,841 kg	1,852 kg	1,892 kg	1,956 kg	1,959 kg	1,961 kg	2,015 kg	2,067 kg	2,098 kg	2,102 kg	2,176 kg	2,213 kg	
Kerb weight when fitted with Mazda Standard Alloy Tray <sup>3</sup>		1,787 kg	1,828 kg	1,880 kg	1,920 kg	—	—	—	1,914 kg	1,966 kg	1,966 kg	2,006 kg	2,070 kg	2,073 kg	—	—	—	—	—	—	—	
Maximum payload <sup>4</sup>		1,357 kg	1,316 kg	1,245 kg	1,194 kg	1,112 kg	1,071 kg	988 kg	1,330 kg	1,259 kg	1,248 kg	1,208 kg	1,144 kg	1,141 kg	1,139 kg	1,085 kg	1,034 kg	1,002 kg	998 kg	924 kg	887 kg	
Maximum payload when fitted with Mazda Standard Alloy Tray <sup>4</sup>		1,213 kg	1,172 kg	1,120 kg	1,080 kg	—	—	—	1,186 kg	1,134 kg	1,134 kg	1,094 kg	1,030 kg	1,027 kg	—	—	—	—	—	—	—	
Seating capacity		2	2	2	5	5	5	5	2	2	5	5	5	5	5	5	5	5	5	5	5	
Tow ball download <sup>¶</sup>	maximum				350 kg								350 kg									
Towing capacity <sup>¶</sup>	braked				3,500 kg								3,500 kg									
	unbraked				750 kg								750 kg									

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

1 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

2 Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

3 Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

4 Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

# SPECIFICATIONS

		4X2							4X4												
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
<strong>Dimensions</strong>																					
Cargo box floor height to ground (mm)		—	—	—	—	828 mm	828 mm	833 mm	—	—	—	—	—	828 mm	828 mm	828 mm	833 mm	833 mm	833 mm	833 mm	
Cargo box floor length (mm)		—	—	—	—	1,571 mm	1,571 mm	1,571 mm	—	—	—	—	—	1,571 mm	1,571 mm	1,571 mm	1,571 mm	1,571 mm	1,571 mm	1,571 mm	
Cargo box floor width between wheel arches		—	—	—	—	1,120 mm	1,120 mm	1,120 mm	—	—	—	—	—	1,120 mm	1,120 mm	1,120 mm	1,120 mm	1,120 mm	1,120 mm	1,120 mm	
Cargo box width at top rail (mm)		—	—	—	—	1,530 mm	1,530 mm	1,530 mm	—	—	—	—	—	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm	
Cargo box height (mm)		—	—	—	—	490 mm	490 mm	490 mm	—	—	—	—	—	490 mm	490 mm	490 mm	490 mm	490 mm	490 mm	490 mm	
Ground clearance (mm):	Unladen	235 mm	235 mm	235 mm	235 mm	235 mm	235 mm	240 mm	235 mm	235 mm	235 mm	240 mm	240 mm	235 mm	235 mm	235 mm	240 mm	240 mm	240 mm	240 mm	
Overall height (mm)		1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,810 mm	1,790 mm	
Overall length (mm)	Without tow bar tongue	5,320 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,470 mm	
	With tow bar tongue	—	—	—	—	—	—	5,430 mm	—	—	—	—	5,430 mm	5,430 mm	—	—	—	5,430 mm	5,430 mm	5,460 mm	5,650 mm
Overall width (mm)	Excluding mirrors	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	
	Mirrors folded	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	
	Mirrors open	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	
Overhang (mm):	Front	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	935 mm	905 mm	905 mm	
	Rear (without tow bar tongue)	1,290 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	
	Rear (with tow bar tongue)	—	—	—	—	—	—	1,400 mm	—	—	—	—	1,445 mm	1,445 mm	—	—	—	1,400 mm	1,400 mm	1,400 mm	1,400 mm
Track (mm):	Front	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	
	Rear	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	
Maximum wading depth (mm) <sup>#</sup>		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	
Wheelbase (mm)		3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.4°	29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°	25.8°	
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	23.9°	17.9°	24.6°	25.3°	25.3°	25.3°	25.6°	25.6°	23.9°	23.9°	23.9°	17.9°	17.9°	17.9°	17.9°
Ramp breakover angle (°)		23.9°	23.9°	23.9°	23.9°	23.3°	23.3°	23.8°	23.9°	23.9°	23.9°	23.9°	24.3°	24.3°	23.3°	23.3°	23.8°	23.8°	24.3°	23.8°	

<sup>#</sup>Maximum wading depth is possible only when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is stationary in water of more than 350mm depth.

# SPECIFICATIONS

	4X2							4X4											
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Exterior</b>																			
Alloy wheels	17-inch steel	●	—	—	—	●	—	—	—	●	—	—	—	—	—	—	—	—	—
	17-inch black alloy	—	●	●	●	●	—	●	—	●	—	●	—	●	●	●	—	—	—
	18-inch black and machined	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	—	●
	18-inch metallic black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
Cargo box features:	Double wall construction	—	—	—	—	●	●	●	—	—	—	—	—	●	●	●	●	●	●
	Interior rope hooks (2)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
	Interior rope hooks (4)	—	—	—	—	●	●	●	—	—	—	—	—	●	●	●	●	●	●
	Tub liner	—	—	—	—	—	—	●	—	—	—	—	—	—	—	—	●	●	●
Tailgate features:	Lockable	—	—	—	—	●	●	●	—	—	—	—	—	●	●	●	●	●	●
	Body colour release handle	—	—	—	—	●	●	—	—	—	—	—	—	●	●	—	—	—	—
	Chrome release handle	—	—	—	—	—	—	●	—	—	—	—	—	—	—	●	●	—	●
	Gloss black release handle	—	—	—	—	—	—	●	—	—	—	—	—	—	—	●	—	—	●
	Tailgate Assist	—	—	—	—	●	●	●	—	—	—	—	—	●	●	●	●	●	●
Roller tonneau cover	Manual operation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●
Daytime running lamps	Halogen	●	●	●	●	●	●	—	●	●	●	●	●	●	●	●	—	—	—
	LED	—	—	—	—	—	—	●	—	—	—	—	—	—	—	●	●	●	●
Door handles	Body Colour	●	●	●	●	●	●	—	●	●	●	—	—	●	●	—	—	—	—
	Chrome	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	—	—
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	●	●
Fog-lamps	Front	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
Freestyle door system		—	—	●	—	—	—	—	—	●	—	—	—	—	—	—	—	—	—
Fuel filler cap	Lockable cap	●	●	●	●	—	—	—	●	●	●	●	●	●	●	—	—	—	—
	Remote release flap	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●
Headlamps (LED)	LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Manual levelling	●	●	●	●	●	●	—	●	●	●	—	●	●	●	—	—	—	—
	Auto levelling	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
	Signature illumination	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
	Auto on/off	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Automatic High Beam (AHB) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lightforce™ Beast driving lights		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●

● = Standard, ○ = Option, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

# SPECIFICATIONS

	4X2							4X4											
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Exterior</b>																			
Metallic/mica/pearl paint	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Mudflaps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front	●	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●
Rear	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●
Exterior mirrors	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	—	●
Body Colour	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●
Power adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Power folding	—	—	—	—	—	—	—	●	—	—	—	●	—	—	—	●	●	●	●
Heated	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●
Power windows	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear step bumper	Body colour	—	—	—	—	●	●	●	—	—	—	—	●	●	●	●	●	●	●
Roof rails	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Side steps	Silver	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	—	●
	Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●
Sports bar	Black sail plane	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
	Black steel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—
	Black premium steel long leg	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Single hoop bull bar	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Tow bar with receiver, tongue and wiring harness	—	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
Under-body impact protection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, ○ = Option, — = Not available.

# SPECIFICATIONS

	4X2							4X4											
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Interior</b>																			
Multi Information Display	4.2-in Colour LCD	●	●	●	●	●	—	●	●	●	—	—	●	●	●	—	—	—	—
	7-in Colour LCD	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
Air-conditioning	Manual	●	●	●	●	●	—	●	●	●	—	—	●	●	●	—	—	—	—
	Dual-zone climate control	—	—	—	—	—	—	●	—	—	—	●	●	—	—	●	●	●	●
Ambient temperature display		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auxiliary 12 volt power outlet		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre armrest console		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Convenience hook (rear of passenger seat)		—	—	●	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●
Cruise Control	Intelligent Adaptive Cruise Control (iACC) with Stop & Go <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Traffic Jam Assist <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Idle Stop System		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cupholders	Front	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Rear	—	—	—	—	—	—	2	—	—	—	2	2	—	—	—	2	2	2
Door pockets		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver's left footrest		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Floor covering:	Vinyl	●	●	●	●	●	●	—	●	●	●	—	—	●	●	—	—	—	—
	Carpet	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●
Glove box	Upper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lower, lockable	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Instrument panel light dimmer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Interior illumination:	Dome lamp	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Leather-wrapped:	Gear shift knob	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●
	Steering wheel	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●
Low fuel warning light		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One touch (up and down) power window (driver)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Overhead sunglass storage box		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger assist grips		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear centre fold-down armrest		—	—	—	—	—	—	●	—	—	●	●	—	—	—	●	●	●	●

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

# SPECIFICATIONS

		4X2							4X4											
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Interior</b>																				
Rear-view mirror with auto dimming function		—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●	●
Tachometer and electronic odometer/tripmeter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tilt and reach adjustable steering wheel		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trip computer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Vanity mirror	Driver	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●	●
	Front passenger	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window demister (rear)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-A charging point near rear vision mirror		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-C Charging Port	Front	1	1	1	1	1	1	2	1	1	1	1	2	2	1	1	1	2	2	2
	Rear	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<b>Seats</b>																				
Front seat (driver bucket) with:	8-way power adjustment	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●
	Adjustable head restraint	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lumbar adjustment	—	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front seat (passenger bucket) with:	Adjustable head restraint	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Seat back pocket	—	—	●	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
	Seat back convenience hook	—	—	●	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
Front seats with:	Heating function	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●
Rear seat (bench) with:	Adjustable head restraints	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●
	Centre armrest	—	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●
	60/40 foldable seat base and underseat storage	—	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
Seat trim:	Black cloth	●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	●	—	—	—
	Black leather <sup>#</sup>	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	—	●
	Black & terracotta Maztex & synthetic suede	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

● = Standard, — = Not available.

# Leather interior includes some Maztex material on selected high impact surfaces.

# SPECIFICATIONS

	4X2							4X4											
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Infotainment</b>																			
8-inch full colour touch screen	●	●	●	●	●	●	—	●	●	●	—	—	●	●	●	—	—	—	—
9-inch full colour touch screen	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●	●
Radio	AM/FM with Radio Data System (RDS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	DAB+ digital	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Apple Carplay® <sup>§</sup>	Wireless or USB	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Android Auto™ <sup>§</sup>	Wireless or USB	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Satellite navigation	—	—	—	—	—	—	●	—	—	—	●	●	—	—	—	●	●	●	●
Speakers	2	2	2	4	4	4	6	2	2	6	6	8	8	6	6	6	8	8	8
Steering wheel-mounted audio controls	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-C device port <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

# SPECIFICATIONS

		4X2							4X4												
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Chassis XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Safety and Security</b>																					
Advanced keyless entry with push-button start		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Automatic High Beam (AHB) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Autonomous Emergency Braking (AEB) <sup>†</sup>	Low speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	High speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pedestrian, cycle and motorcycle detection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Turn Assist (car and pedestrian)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Airbags SRS:	Curtain (front and rear)	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
	Curtain (front)	●	●	●	—	—	—	—	●	●	—	—	—	—	—	—	—	—	—	—	—
	Front (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Side (front)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Farside (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Knee (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Alarm		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Anti-lock Braking System (ABS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Attention Assist <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Blind Spot Support	Blind Spot Monitor (BSM) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear Cross Traffic Alert (RCTA) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear Cross Traffic Brake (RCTB) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Childproof rear door locks		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
Electronic Stability Control (ESC) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic Brake-force Distribution (EBD)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Brake Assist (BA) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping (ELK) – Overtaking <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Stop Signal (ESS) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Engine immobiliser		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Forward Collision Warning (FCW) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
High mount stop lamp		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent Speed Limiter (ISL) <sup>†</sup>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intrusion-minimising brake pedal		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ISOFIX child restraint anchor points and top tethers (2)		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

# SPECIFICATIONS

	4X2							4X4											
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
<b>Safety and Security</b>																			
Lane Support System	Lane Departure Prevention (LDP) <sup>†</sup> Lane Departure Warning (LDW) <sup>†</sup> Lane-keep Assist System (LAS) <sup>†</sup> Emergency Lane Keeping (ELK) – with road edge detection <sup>†</sup> Emergency Lane Keeping (ELK) – overtaking <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Locking Rear Differential (LRD) – switchable on/off	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter (MSL) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Parking aids	Parking Sensors – Front <sup>†</sup>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●
	Parking Sensors – Rear <sup>†</sup>	—	—	—	●	—	●	●	—	—	—	—	—	●	●	●	●	●	●
	Reverse camera <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	360° view monitor <sup>†</sup>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
Remote Engine Start <sup>#</sup>	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	●
Remote central locking (2 transmitters)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Roll Over Protection (ROP) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rough Terrain Mode <sup>†</sup>	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belt warning with occupant detection sensor	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Seat-belts 3-point lap-sash (all seats)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (front) with:	Height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear outside) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Seat-belts (rear centre) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Secondary Collision Reduction	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side impact door beams	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trailer Sway Control (TSC) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS)	—	—	—	—	—	—	—	●	—	—	●	●	—	—	—	—	●	●	●

● = Standard, — = Not available, A = Automatic transmission only.

†Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

#Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



ZOOM-ZOOM



mazda

For further information, visit [mazda.com.au](http://mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](http://mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170.

Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published February 2026. AU41-P00004982