

MAZDA BT-50



ZOOM-ZOOM



mazda



MAZDA BT-50 SINGLE CAB XS

- » Cab chassis
- » 17-inch steel wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go[†]
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay[®] (wireless & USB)[§]
- » Android Auto[™] (wireless & USB)[§]
- » Bluetooth[®] hands-free phone and audio capability[§]
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- » Automatic High Beam (AHB)[†]
- » Autonomous Emergency Braking(AEB)[†]
- » Blind Spot Monitor (BSM)[†]
- » Dynamic Stability Control (DSC)[†]
- » Emergency Lane Keeping (ELK) – Overtaking[†]
- » Emergency Lane Keeping (ELK) with road edge detection[†]
- » Emergency Stop Signal (ESS)[†]
- » Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)[†]
- » Lane Departure Prevention (LDP)[†]
- » Lane Departure Warning (LDW)[†]

POWERTRAIN

- » Lane-keep Assist System (LAS)[†]
- » Rear Cross Traffic Alert (RCTA)[†]
- » Rear Cross Traffic Brake (RCTB)[†]
- » Reverse camera
- » Roll Over Protection (ROP)[†]
- » Secondary Collision Reduction[†]
- » Speed Assist System[†]
- » Traction Control System (TCS)[†]
- » Turn Assist[†]
- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2
- » Transmission: 8-speed automatic
- » Max power: 120kW @ 3,600 rpm
- » Max torque: 400Nm @ 1,600-2,400rpm
- » Fuel consumption (combined): 6.9L/100km*

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 SINGLE CAB XT

- » Cab chassis
- » 17-inch alloy wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go†
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay® (wireless & USB)§
- » Android Auto™ (wireless & USB)§
- » Bluetooth® hands-free phone and audio capability§
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)†
- » Attention Assist†
- » Automatic High Beam (AHB)†
- » Autonomous Emergency Braking(AEB)†
- » Blind Spot Monitor (BSM)†
- » Dynamic Stability Control (DSC)†
- » Emergency Lane Keeping (ELK) – Overtaking†
- » Emergency Lane Keeping (ELK) with road edge detection†
- » Emergency Stop Signal (ESS)†
- » Hill Descent Control (HDC)†
- » Hill Launch Assist (HLA)†
- » Lane Departure Prevention (LDP)†
- » Lane Departure Warning (LDW)†
- » Lane-keep Assist System (LAS)†
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)

POWERTRAIN

- » Rear Cross Traffic Alert (RCTA)†
- » Rear Cross Traffic Brake (RCTB)†
- » Reverse camera
- » Roll Over Protection (ROP)†
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction†
- » Speed Assist System†
- » Traction Control System (TCS)†
- » Turn Assist†
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x2 and 4x4)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 FREESTYLE CAB XT

- » Cab chassis
- » 17-inch alloy wheels
- » Freestyle door system
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Black cloth seat trim
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go[†]
- » Idle Stop System
- » 8-inch full-colour touch screen
- » Apple Carplay[®] (wireless & USB)[§]
- » Android Auto[™] (wireless & USB)[§]
- » Bluetooth[®] hands-free phone and audio capability[§]
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- » Automatic High Beam (AHB)[†]
- » Autonomous Emergency Braking(AEB)[†]
- » Blind Spot Monitor (BSM)[†]
- » Dynamic Stability Control (DSC)[†]
- » Emergency Lane Keeping (ELK) – Overtaking[†]
- » Emergency Lane Keeping (ELK) with road edge detection[†]
- » Emergency Stop Signal (ESS)[†]
- » Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)[†]
- » Lane Departure Prevention (LDP)[†]
- » Lane Departure Warning (LDW)[†]
- » Lane-keep Assist System (LAS)[†]

POWERTRAIN

- » Locking Rear Differential (LRD) – switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)[†]
- » Rear Cross Traffic Brake (RCTB)[†]
- » Reverse camera
- » Roll Over Protection (ROP)[†]
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction[†]
- » Speed Assist System[†]
- » Traction Control System (TCS)[†]
- » Turn Assist[†]
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x2 and 4x4)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XS

- » Cab chassis or Pickup
- » 17-inch steel wheels (17-inch alloy wheels 4x4 pickup)
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Tailgate Assist (pickup models only)
- » Black cloth seat trim
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Idle Stop System
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go[†]
- » 8-inch full-colour touch screen
- » Apple Carplay[®] (wireless & USB)[§]
- » Android Auto[™] (wireless & USB)[§]
- » Bluetooth[®] hands-free phone and audio capability[§]
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front, 1 rear)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- » Automatic High Beam (AHB)[†]
- » Autonomous Emergency Braking(AEB)[†]
- » Blind Spot Monitor (BSM)[†]
- » Dynamic Stability Control (DSC)[†]
- » Emergency Lane Keeping (ELK) - Overtaking[†]
- » Emergency Lane Keeping (ELK) with road edge detection[†]
- » Emergency Stop Signal (ESS)[†]
- » Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)[†]
- » Lane Departure Prevention (LDP)[†]
- » Lane Departure Warning (LDW)[†]

POWERTRAIN

- » Lane-keep Assist System (LAS)[†]
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)[†]
- » Rear Cross Traffic Brake (RCTB)[†]
- » Rear parking sensors (pickup only)
- » Reverse camera
- » Roll Over Protection (ROP)[†]
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction[†]
- » Speed Assist System[†]
- » Traction Control System (TCS)[†]
- » Turn Assist[†]
- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 (pick-up only) or 4x4
- » Transmission: 8-speed automatic
- » Max power: 120kW @ 3,600 rpm
- » Max torque: 400Nm @ 1,600-2,400rpm
- » Fuel consumption (combined): 7.1L/100km* (4x4 cab chassis) or 6.3L/100km* (4x2 pickup) or 6.6L/100km* (4x4 pickup)

[§] Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. [†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XT

- » Cab chassis or Pickup
- » 17-inch alloy wheels
- » LED headlamps
- » Body-coloured exterior mirrors with power adjustment
- » Tailgate Assist (pickup models only)
- » Black cloth seat trim
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Idle Stop System
- » Intelligent Adaptive Cruise Control (iACC) with Stop & Go[†]
- » 8-inch full-colour touch screen
- » Apple Carplay[®] (wireless & USB)[§]
- » Android Auto[™] (wireless & USB)[§]
- » Bluetooth[®] hands-free phone and audio capability[§]
- » DAB+ digital radio
- » USB-A charging point near rear vision mirror
- » USB-C charging points (1 front, 1 rear)
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- » Automatic High Beam (AHB)[†]
- » Autonomous Emergency Braking(AEB)[†]
- » Blind Spot Monitor (BSM)[†]
- » Dynamic Stability Control (DSC)[†]
- » Emergency Lane Keeping (ELK) - Overtaking[†]
- » Emergency Lane Keeping (ELK) with road edge detection[†]
- » Emergency Stop Signal (ESS)[†]
- » Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)[†]
- » Lane Departure Prevention (LDP)[†]
- » Lane Departure Warning (LDW)[†]

POWERTRAIN

- » Lane-keep Assist System (LAS)[†]
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)[†]
- » Rear Cross Traffic Brake (RCTB)[†]
- » Rear parking sensors[†] (pickup only)
- » Reverse camera
- » Roll Over Protection (ROP)[†]
- » Rough Terrain Mode (4X4 only)
- » Secondary Collision Reduction[†]
- » Speed Assist System[†]
- » Traction Control System (TCS)[†]
- » Turn Assist[†]
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x2 and 4X4 cab chassis) or 7.1L/100km* (4x2 pickup and 4x4 pickup)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB BOSS – ADDITIONAL TO XT

- » Pickup
- » Gloss black exterior mirrors
- » Gloss black door handles
- » Gloss black tailgate handle
- » Black steel sports bar
- » Black side steps
- » Tub liner

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.1L/100km*

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XTR – ADDITIONAL TO XT

- » Cab chassis or Pickup
- » 18-inch black and machined alloy wheels
- » Front fog lamps (LED)
- » LED headlamps with auto levelling
- » Power folding exterior mirrors
- » Silver side steps
- » Signature daytime running lamps
- » Tow bar with reciever, tongue and wiring harness
- » Tub liner (pickup models only)
- » 9-inch full-colour touch screen
- » Advanced keyless entry
- » Auto-dimming interior mirror
- » Carpet floor covering
- » Dual zone climate control air-conditioning with rear vents
- » Leather wrapped steering wheel and gear knob
- » Rear seat with centre armrest
- » Satellite navigation
- » Tyre Pressure Monitoring System (TPMS)
- » USB-C charging points (2 front, 1 rear)
- » 360° view monitor (pickup only)

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x2 (pick-up only) or 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x4 cab chassis) or 7.1L/100km* (4x2 and 4x4 pickup)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB GT – ADDITIONAL TO XTR

- » Cab chassis or Pickup
- » Heated exterior mirrors
- » Black leather seat trim[#]
- » Driver's seat with 8-way power adjustment
- » Heated front seats
- » Remote engine start
- » Front parking sensors[†] (pickup only)

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x4 cab chassis) or 7.1L/100km* (4x4 pickup)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. [#]Leather interior includes some Maztex material on selected high impact surfaces. [^]Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



MAZDA BT-50 DUAL CAB SP – ADDITIONAL TO GT

- » Pickup
- » 18-inch black alloy wheels
- » Gloss black sail plane sports bar
- » Black side steps
- » Gloss black fender flares
- » Gloss black roof rails
- » Gloss black exterior mirrors
- » Gloss black door and tailgate handles
- » Roller tonneau cover (manual operation)
- » Black & terracotta Maztex & cloth seat trim

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km*

*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB THUNDER — ADDITIONAL TO GT

- » Pickup
- » Single hoop bull bar
- » Lightforce™ Beast driving lights
- » Black side steps
- » Black premium steel long leg sports bar
- » Gloss black door handles
- » Manual roller tonneau

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.1L/100km*

*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

CHOOSE YOUR COLOUR AND TRIMS



Ice White Solid

Geode White Pearl~

Ingot Silver Metallic~

Concrete Grey Mica~

Sailing Blue Metallic~

Red Earth Metallic~

True Black Mica~



Black cloth XS, XT, Boss and XTR



Black leather# (GT and Thunder)



Black & Terracotta Maztex and synthetic suede



17-inch alloy on XT and Boss



18-inch black and machined alloy on XTR, GT and Thunder



18-inch black alloy on SP model

~At extra cost. #Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

		4X2						
Powertrain		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR
Engine type		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
Engine capacity		2,164cc		2,999cc		2,164cc		2,999cc
Bore and stroke		83.0mm x 100.0mm		95.4mm x 104.9mm		83.0mm x 100.0mm		95.4mm x 104.9mm
Compression ratio		15.9 : 1		16.3 : 1		15.9 : 1		16.3 : 1
Maximum power		120kW @ 3,600 rpm		140kW @ 3,600 rpm		120kW @ 3,600 rpm		140kW @ 3,600 rpm
Maximum torque		400 @ 1,600-2,400 rpm		450 @ 1,600-2,600 rpm		400 @ 1,600-2,400 rpm		450 @ 1,600-2,600 rpm
Throttle control		Electronic (drive-by-wire)						
Fuel system		Common-rail, electronic direct injection						
Fuel tank capacity		76 litres						
Recommended fuel		Diesel						
Fuel consumption*	Combined	6.9		7.8		6.3	7.1	7.1
	Extra urban	6.3		7.4		5.5	6.4	6.5
	Urban	8.1		8.4		7.8	8.3	8.3
CO ₂ Emissions (g/km)*	Combined	183		204		167	185	187
Emissions standard		Euro stage V						
Alternator		12 volts - 90 amps						
Automatic transmission		8-speed		6-speed		8-speed		6-speed
Gear ratio	1st	4.903		3.600		4.903		3.600
	2nd	3.120		2.090		3.120		2.090
	3rd	2.166		1.488		2.166		1.488
	4th	1.597		1.000		1.597		1.000
	5th	1.312		0.687		1.312		0.687
	6th	1.000		0.580		1.000		0.580
	7th	0.776		—		0.776		—
	8th	0.651		—		0.651		—
	reverse	4.050		3.732		4.050		3.732
	final drive	3.583		3.727		3.583		3.727

* Fuel consumption and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

		4X4												
Powertrain		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Engine type		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System			2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System						
Engine capacity		2,999cc	2,164cc	2,999cc			2,164cc	2,999cc						
Bore and stroke		95.4mm x 104.9mm	83.0mm x 100.0mm	95.4mm x 104.9mm			83.0mm x 100.0mm	95.4mm x 104.9mm						
Compression ratio		16.3 : 1	15.9 : 1	16.3 : 1			15.9 : 1	16.3 : 1						
Maximum power		140kW @ 3,600 rpm	120kW @ 3,600 rpm	140kW @ 3,600 rpm			120kW @ 3,600 rpm	140kW @ 3,600 rpm						
Maximum torque		450Nm @ 1,600-2,600 rpm	400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm			400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm						
Throttle control		Electronic (drive-by-wire)												
Fuel system		Common-rail, electronic direct injection												
Fuel tank capacity		76 litres												
Recommended fuel		Diesel												
Fuel consumption*	Combined	7.8	7.1	7.8			6.6	7.1					7.8	7.1
	Extra urban	7.4	6.5	7.4			6.5	6.5					7.4	6.5
	Urban	8.4	8.2	8.4			8.2	8.3					8.4	8.3
CO ₂ Emissions (g/km)*	Combined	204	188	204			174	187					204	187
Emissions standard		Euro stage V												
Alternator		12 volts - 90 amps												
Automatic transmission		6-speed	8-speed	6-speed			8-speed	6-speed						
Gear ratio	1st	3.600	4.903	3.600			4.903	3.600						
	2nd	2.090	3.120	2.090			3.120	2.090						
	3rd	1.488	2.166	1.488			2.166	1.488						
	4th	1.000	1.597	1.000			1.597	1.000						
	5th	0.687	1.312	0.687			1.312	0.687						
	6th	0.580	1.000	0.580			1.000	0.580						
	7th	—	0.776	—			0.776	—						
	8th	—	0.651	—			0.651	—						
	reverse	3.732	4.050	3.732			4.050	3.732						
	final drive	3.727	3.583	3.727			3.583	3.727						
Transfer gear	high	1.000	1,000	1.000			1.000	1.000						
	low	2.482	2.482	2.482			2.482	2.482						

* Fuel consumption and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

		4X2								
Chassis		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup XTR
Brake diameter	front	320 mm								
	rear	295 mm								
Brake type	front	Ventilated disc								
	rear	Drum								
Steering type		Electric Power Assist Steering (EPAS)								
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar								
	rear	Rigid (live) rear axle with heavy-duty leaf springs								
Turning circle	kerb to kerb	12.5 m								
Tyre size		255/65 R17							265/60 R18	
Tyre index		110S								
Wheel size		17 x 7.0 J							18 x 7.5 J	
Wheel type		Steel	Alloy	Alloy	Steel	Alloy	Steel	Alloy	Alloy	Alloy
Wheel size (spare)		17 x 7.0 J							18 x 7.5 J	
Wheel type (spare)		Steel							Alloy	

		4X4												
Chassis		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Brake diameter	front	320 mm												
	rear	295 mm												
Brake type	front	Ventilated disc												
	rear	Drum												
Steering type		Electric Power Assist Steering (EPAS)												
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar												
	rear	Rigid (live) rear axle with heavy-duty leaf springs						Rigid (live) rear axle with leaf springs						
Turning circle	kerb to kerb	12.5 m												
Tyre size		255/65 R17				265/60 R18		255/65 R17				265/60 R18		
Tyre index		110S												
Wheel size		17 x 7.0 J				18 x 7.5 J		17 x 7.0 J				18 x 7.5 J		
Wheel type		Steel	Alloy	Steel	Alloy	Alloy		Alloy				Alloy		
Wheel size (spare)		17 x 7.0 J				18 x 7.5 J		17 x 7.0 J				18 x 7.5 J		
Wheel type (spare)		Steel				Alloy		Steel				Alloy		

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Weights and capacities																					
Axle capacity	front	1,450 kg						1,450 kg													
	rear	1,910 kg						1,910 kg													
Gross Combined Mass (GCM) ¹		5,850 kg						6,000 kg													
Gross Vehicle Mass (GVM) ²		3,000 kg						3,100 kg													
Kerb weight ³		1,643 kg	1,684 kg	1,755 kg	1,806 kg	1,888 kg	1,929 kg	2,012 kg	1,770 kg	1,841 kg	1,852 kg	1,892 kg	1,956 kg	1,959 kg	1,961 kg	2,015 kg	2,067 kg	2,098 kg	2,102 kg	2,176 kg	2,213 kg
Kerb weight when fitted with Mazda Standard Alloy Tray ³		1,787 kg	1,828 kg	1,880 kg	1,920 kg	—	—	—	1,914 kg	1,966 kg	1,966 kg	2,006 kg	2,070 kg	2,073 kg	—	—	—	—	—	—	—
Maximum payload ⁴		1,357 kg	1,316 kg	1,245 kg	1,194 kg	1,112 kg	1,071 kg	988 kg	1,330 kg	1,259 kg	1,248 kg	1,208 kg	1,144 kg	1,141 kg	1,139 kg	1,085 kg	1,034 kg	1,002 kg	998 kg	924 kg	887 kg
Maximum payload when fitted with Mazda Standard Alloy Tray ⁴		1,213 kg	1,172 kg	1,120 kg	1,080 kg	—	—	—	1,186 kg	1,134 kg	1,134 kg	1,094 kg	1,030 kg	1,027 kg	—	—	—	—	—	—	—
Seating capacity		2	2	2	5	5	5	5	2	2	5	5	5	5	5	5	5	5	5	5	5
Tow ball download [¶]	maximum	350 kg						350 kg													
Towing capacity [¶]	braked	3,500 kg						3,500 kg													
	unbraked	750 kg						750 kg													

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

1 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

2 Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

3 Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

4 Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Dimensions																					
Cargo box floor height to ground (mm)		—	—	—	—	828 mm	828 mm	836 mm	—	—	—	—	—	—	828 mm	828 mm	831 mm	836 mm	836 mm	836 mm	836 mm
Cargo box floor length (mm)		—	—	—	—	1,571 mm	1,571 mm	1,451 mm	—	—	—	—	—	—	1,571 mm	1,571 mm	1,451 mm	1,451 mm	1,451 mm	1,451 mm	1,451 mm
Cargo box floor width between wheel arches		—	—	—	—	1,120 mm	1,120 mm	1,085 mm	—	—	—	—	—	—	1,120 mm	1,120 mm	1,085 mm	1,085 mm	1,085 mm	1,085 mm	1,085 mm
Cargo box width at top rail (mm)		—	—	—	—	1,530 mm	1,530 mm	1,530 mm	—	—	—	—	—	—	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm
Cargo box height (mm)		—	—	—	—	490 mm	490 mm	487 mm	—	—	—	—	—	—	490 mm	490 mm	487 mm	487 mm	487 mm	487 mm	487 mm
Ground clearance (mm): Unladen		235 mm	235 mm	235 mm	235 mm	235 mm	235 mm	240 mm	235 mm	235 mm	235 mm	235 mm	240 mm	240 mm	235 mm	235 mm	235 mm	240 mm	240 mm	240 mm	240 mm
Overall height (mm)		1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,810 mm	1,790 mm
Overall length (mm) Without tow bar tongue		5,320 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,470 mm
Overall length (mm) With tow bar tongue		—	—	—	—	—	—	5,430 mm	—	—	—	—	5,430 mm	5,430 mm	—	—	—	5,430 mm	5,430 mm	5,460 mm	5,650 mm
Overall width (mm) Excluding mirrors		1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm
Overall width (mm) Mirrors folded		1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm
Overall width (mm) Mirrors open		2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm
Overhang (mm): Front		905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	935 mm	905 mm
Overhang (mm): Rear (without tow bar tongue)		1,290 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm
Overhang (mm): Rear (with tow bar tongue)		—	—	—	—	—	—	1,400 mm	—	—	—	—	1,445 mm	1,445 mm	—	—	—	1,400 mm	1,400 mm	1,400 mm	1,400 mm
Track (mm): Front		1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
Track (mm): Rear		1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
Maximum wading depth (mm) [#]		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase (mm)		3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.4°	29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°	25.8°
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	23.9°	17.9°	24.6°	25.3°	25.3°	25.3°	25.6°	25.6°	23.9°	23.9°	23.9°	17.9°	17.9°	17.9°	17.9°
Ramp breakover angle (°)		23.9°	23.9°	23.9°	23.9°	23.3°	23.3°	23.8°	23.9°	23.9°	23.9°	23.9°	24.3°	24.3°	23.3°	23.3°	23.3°	23.8°	23.8°	24.3°	23.8°

[#]Maximum wading depth is possible only when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is stationary in water of more than 350mm depth.

SPECIFICATIONS

		4X2						4X4														
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
Exterior	Alloy wheels																					
	17-inch steel	●	—	—	—	●	—	—	—	—	●	—	—	—	—	—	—	—	—	—	—	
	17-inch black alloy	—	●	●	●	—	●	—	●	●	—	●	—	—	●	●	●	—	—	—	—	
	18-inch black and machined	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	—	●	
	18-inch metallic black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—		
Cargo box features:	Double wall construction	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●	
	Interior rope hooks (2)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	
	Interior rope hooks (4)	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	—	●	
	Tub liner	—	—	—	—	—	—	●	—	—	—	—	—	—	—	—	—	●	●	●	●	
Tailgate features:	Lockable	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●	
	Body colour release handle	—	—	—	—	●	●	—	—	—	—	—	—	—	●	●	—	—	—	—	—	
	Chrome release handle	—	—	—	—	—	—	●	—	—	—	—	—	—	—	—	—	●	●	—	●	
	Gloss black release handle	—	—	—	—	—	—	●	—	—	—	—	—	—	—	—	●	—	—	●	—	
	Tailgate Assist	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●	
Roller tonneau cover	Manual operation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	
Daytime running lamps	Halogen	●	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	—	—	—	—	
	LED	—	—	—	—	—	—	●	—	—	—	—	—	—	—	—	—	●	●	●	●	
Door handles	Body Colour	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—	—	—	
	Chrome	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	—	—	
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●	●	
Fog-lamps	Front	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
Freestyle door system		—	—	●	—	—	—	—	●	—	—	—	—	—	—	—	—	—	—	—	—	
Fuel filler cap	Lockable cap	●	●	●	●	—	—	—	●	●	●	●	●	●	—	—	—	—	—	—	—	
	Remote release flap	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●	
Headlamps (LED)	LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Manual levelling	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	●	—	—	—	—	
	Auto levelling	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
	Signature illumination	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
	Auto on/off	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Automatic High Beam (AHB) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lightforce™ Beast driving lights	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	

● = Standard, ○ = Option, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Exterior																					
Metallic/mica/pearl paint		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Mudflaps	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●
Exterior mirrors	Body Colour	●	●	●	●	●	●	●	●	●	●	●	●	—	●	●	—	●	●	—	●
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●	—
	Power adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Power folding	—	—	—	—	—	—	●	—	—	—	—	—	●	—	—	—	●	●	●	●
	Heated	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●
Power windows		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear step bumper	Body colour	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●
Roof rails	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
Side steps	Silver	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	—	●
	Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●	●
Sports bar	Black sail plane	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
	Black steel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—
	Black premium steel long leg	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Single hoop bull bar		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Tow bar with receiver, tongue and wiring harness		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Under-body impact protection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, ○ = Option, — = Not available.

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Interior																					
Multi Information Display	4.2-in Colour LCD	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	●	—	—	—	—
	7-in Colour LCD	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Air-conditioning	Manual	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	●	—	—	—	—
	Dual-zone climate control	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Ambient temperature display		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auxiliary 12 volt power outlet		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre armrest console		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Convenience hook (rear of passenger seat)		—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●	●	●
Cruise Control	Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Traffic Jam Assist [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Idle Stop System		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cupholders	Front	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Rear	—	—	—	—	—	—	2	—	—	—	—	2	2	—	—	—	2	2	2	2
Door pockets		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver's left footrest		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Floor covering:	Vinyl	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	●	—	—	—	—
	Carpet	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Glove box	Upper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lower, lockable	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Instrument panel light dimmer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Interior illumination:	Dome lamp	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Leather-wrapped:	Gear shift knob	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
	Steering wheel	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Low fuel warning light		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One touch (up and down) power window (driver)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Overhead sunglass storage box		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger assist grips		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear centre fold-down armrest		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

		4X2						4X4															
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder		
Interior																							
Rear-view mirror with auto dimming function		—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●			
Tachometer and electronic odometer/tripmeter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Tilt and reach adjustable steering wheel		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Trip computer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Vanity mirror		Driver		—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●			
		Front passenger		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Window demister (rear)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Wipers (front) 2-speed with rain-sensing function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
USB-A charging point near rear vision mirror		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
USB-C Charging Port		Front		1	1	1	1	1	1	1	1	2	2	2	1	1	1	2	2	2	2		
		Rear		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Seats																							
Front seat (driver bucket) with:		8-way power adjustment		—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●		
		Adjustable head restraint		—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●	●	
		Height adjustment		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
		Lumbar adjustment		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●
Front seat (passenger bucket) with:		Rake and slide adjustment		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
		Adjustable head restraint		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
		Rake and slide adjustment		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
		Seat back pocket		—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●	●	●
Front seats with:		Seat back convenience hook		—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
		Heating function		—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●	
		Rear seat (bench) with:		Adjustable head restraints		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
				Centre armrest		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●
Seat trim:		60/40 foldable seat base and underseat storage		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	
		Black cloth		●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	●	—	—	—	
		Black leather#		—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	—	●	
		Black & terracotta Maztex & synthetic suede		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—		

● = Standard, — = Not available.

Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

	4X2							4X4													
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
Infotainment																					
8-inch full colour touch screen	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	●	—	—	—	—	
9-inch full colour touch screen	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
Radio	AM/FM with Radio Data System (RDS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	DAB+ digital		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Apple Carplay®§	Wireless or USB		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Android Auto™§	Wireless or USB		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Bluetooth® hands-free phone and audio capability§	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Satellite navigation	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
Speakers	2	2	2	4	4	4	6	2	2	6	6	8	8	6	6	6	8	8	8	8	
Steering wheel-mounted audio controls	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
USB-C device port§	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	

● = Standard, — = Not available.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Chassis XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Safety and Security																					
Advanced keyless entry with push-button start		—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	●	●	●	●	
Automatic High Beam (AHB) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Autonomous Emergency Braking (AEB) [†]	Low speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	High speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Pedestrian, cycle and motorcycle detection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Turn Assist (car and pedestrian)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Airbags SRS:	Curtain (front and rear)	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	
	Curtain (front)	●	●	●	—	—	—	—	●	●	—	—	—	—	—	—	—	—	—	—	
	Front (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Side (front)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Farside (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Knee (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Alarm		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Anti-lock Braking System (ABS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Attention Assist [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Blind Spot Support	Blind Spot Monitor (BSM) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Rear Cross Traffic Alert (RCTA) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Rear Cross Traffic Brake (RCTB) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Childproof rear door locks		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	
Electronic Stability Control (ESC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Electronic Brake-force Distribution (EBD)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Brake Assist (BA) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Emergency Lane Keeping (ELK) – Overtaking [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Emergency Stop Signal (ESS) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Engine immobiliser		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Forward Collision Warning (FCW) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
High mount stop lamp		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Hill Descent Control (HDC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Hill Launch Assist (HLA) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Intelligent Speed Limiter (ISL) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Intrusion-minimising brake pedal		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
ISOFIX child restraint anchor points and top tethers (2)		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	

● = Standard, — = Not available.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

		4X2						4X4													
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup BOSS	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Safety and Security																					
Lane Support System	Lane Departure Prevention (LDP) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lane Departure Warning (LDW) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lane-keep Assist System (LAS) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Emergency Lane Keeping (ELK) – with road edge detection [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Emergency Lane Keeping (ELK) – overtaking [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Locking Rear Differential (LRD) – switchable on/off		—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter (MSL) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Parking aids	Parking Sensors – Front [†]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
	Parking Sensors – Rear [†]	—	—	—	●	—	●	●	—	—	—	—	—	—	●	●	●	●	●	●	●
	Reverse camera [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	360° view monitor [†]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
Remote Engine Start [#]		—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	—	●	●	●
Remote central locking (2 transmitters)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Roll Over Protection (ROP) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rough Terrain Mode [†]								●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belt warning with occupant detection sensor	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
Seat-belts 3-point lap-sash (all seats)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (front) with:	Height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear outside) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear centre) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●	●	●
Secondary Collision Reduction		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side impact door beams		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trailer Sway Control (TSC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS)		—	—	—	—	—	●	—	—	—	—	●	●	—	—	—	—	●	●	●	●

● = Standard, — = Not available, A = Automatic transmission only.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

[#] Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



ZOOM-ZOOM



For further information, visit [mazda.com.au](https://www.mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](https://www.mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170.

Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published June 2026. AU41-P00007700