



MAZDA CX-60 PURE – STANDARD ACROSS EVERY GRADE

- 10.25-inch full colour widescreen display (Mazda Connect)
- 7-inch TFT LCD multi-information meter **»** display (I6 3.3L)
- 12.3-inch TFT LCD multi-information **>>** meter display (PHEV)
- 18-inch grey metallic alloy wheels >>
- 360° view monitor[†] >>
- 8 speaker audio with DAB+ >>
- Active driving display[†] >>
- Advanced keyless entry >>
- Apple CarPlay[®] and Android Auto[™] >> (wireless and USB)§
- Auto-dimming rear-view mirror >>
- Black cloth seat trim with 8-way manual driver's seat adjustment

- Blind Spot Monitoring (BSM) with Vehicle Exit Warning[†]
- Body colour exterior mirrors
- Bright "In-line 6" side signature (I6 3.3L)
- Bright "PHEV" side signature (PHEV)
- Cargo net

>>

- Dual-zone climate control with rear vents
- Exterior with power adjustment, auto fold, heating and auto dimming
- Front & Rear parking sensors
- Gloss black side pillar garnish >>
- Glove box illumination
- Honeycomb grille
- Leather shift knob

- LED headlamps with auto on/off and High Beam Control (HBC)
- Manual steering wheel adjustment
- Overhead console with sunglass holder
- Rear console with USB-C and 150W AC outlet
- Rear power outlet socket with 1,500W AC (PHEV)
- Satellite navigation[†]
- Smart Brake Support (SBS) with Turn-across traffic[†]
- Vanity mirror with lamp

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. [†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Leather steering wheel

POWERTRAIN

e-Skyactiv G

- 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- i-Activ AWD
- 209 kW @ 5,000-6,000 rpm (max. power)
- 450 Nm @ 2,000-3,500 rpm (max. torque)
- Skyactiv-Drive 8-speed automatic transmission


e-Skyactiv D

- 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- i-Activ AWD

- 187 kW @ 3,750 rpm (max. power)
- 550 Nm @ 1,500-2,400 rpm **»** (max. torque)
- Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv PHEV

- 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- i-Activ AWD **»**
- 241 kW @ 6,000 rpm (max. power)
- 500 Nm @ 4,000 rpm (max. power)
- Skyactiv-Drive 8-speed automatic transmission







MAZDA CX-60 EVOLVE – ADDITIONAL TO PURE

»

- » 12.3-inch TFT LCD multi-information meter display
- 360° view monitor with see through view[†]
- Black Maztex trim with 8-way manual driver's seat adjustment
- » Cruising & Traffic Support (CTS)[†]

- Driver monitoring[†]
- » Front Cross Traffic Alert (FCTA)[†]
- Remote operated power tailgate (open/close)
- » Wireless phone charger§

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

POWERTRAIN

e-Skyactiv G

- 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv PHEV

- 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission





le



MAZDA CX-60 TOURING – ADDITIONAL TO EVOLVE

- » Black leather seat trim
- » Exterior mirror memory
- Heated front seats (driver and passenger)

- Power seat adjustment (driver & passenger) with position memory (driver)
- Rear console with LED lamp

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

POWERTRAIN

e-Skyactiv G

- 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv PHEV

- 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission



ver) ver) c

ole



MAZDA CX-60 GT – ADDITIONAL TO TOURING

>>

>>

- 12.3-inch full colour widescreen display **»** (Mazda Connect)
- 20-inch black metallic alloy wheels **»**
- Adaptive LED Headlamps (ALH) **»**
- Body-coloured wheel arches and **»** lower cladding
- Dark "In-line 6" side signature (I6 3.3L) >>
- Dark "PHEV" side signature (PHEV) **»**

- Electric steering wheel adjustment
- Gloss black exterior mirrors
- Gloss black honeycomb grille
- Hands-free remote operated power tailgate (open/close)
- Heated seats (front & rear)
- Heated steering wheel **»**
- LED headlamps with dark signature

- Panoramic sunroof >>
- Personalise system (auto restoration of settings)
- Premium Bose® amplifier and 12 speakers
- Rear combination lights with signature illumination

[†]Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

POWERTRAIN

e-Skyactiv G

- 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- i-Activ AWD
- 209 kW @ 5,000-6,000 rpm (max. power)
- 450 Nm @ 2,000-3,500 rpm (max. torque)
- Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- i-Activ AWD

- 187 kW @ 3,750 rpm (max. power)
- 550 Nm @ 1,500-2,400 rpm **»** (max. torque)
- Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv PHEV

- 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- i-Activ AWD **»**
- 241 kW @ 6,000 rpm (max. power)
- 500 Nm @ 4,000 rpm (max. power)
- Skyactiv-Drive 8-speed automatic transmission







MAZDA CX-60 AZAMI – ADDITIONAL TO GT

- 20-inch black metallic and machined **»** alloy wheels
- Black nappa leather seat trim >>
- Body colour exterior mirrors >>
- Bright "In-line 6" side signature (I6 3.3L) **»**
- Bright "PHEV" side signature (PHEV) **»**
- Foot lamp **»**
- Frameless interior mirror

- Front bumper with bar type grille
- Leather side door trim with courtesy >> lamp
- LED headlamps with bright signature >>
- Personalise system with Easy Entry >> & Driving position guide
- Ventilated seats (front) **»**

POWERTRAIN

e-Skyactiv G

- 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- i-Activ AWD
- 209 kW @ 5,000-6,000 rpm (max. power)
- 450 Nm @ 2,000-3,500 rpm (max. torque)
- Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- 3.3 litre in-line 6 cylinder 24 valve **»** diesel turbo with M Hybrid Boost and i-stop
- i-Activ AWD

- 187 kW @ 3,750 rpm (max. power)
- 550 Nm @ 1,500-2,400 rpm **»** (max. torque)
- Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv PHEV

- 2.5 litre in-line 4 cylinder 16 valve **»** petrol PHEV with i-stop
- i-Activ AWD **»**
- 241 kW @ 6,000 rpm (max. power)
- 500 Nm @ 4,000 rpm (max. power)
- Skyactiv-Drive 8-speed automatic transmission



CHOOSE YOUR COLOUR AND INTERIOR TRIMS



~At extra cost. # Leather interior includes some Maztex material on selected high-impact surfaces.

and GT)#

Revera stone leather (GT)[#] Black nappa leather (Azami)#

Tan nappa leather (Azami with SP package)[#] (Azami with Takumi

Pure white nappa leather package)[#]



Model availability	/			Pure	Evolve	Touring	GT	Azami
G40e	3.3L I6 e-Skyactiv G Petrol turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	•	•	•	•	•
D50e	3.3L I6 e-Skyactiv D Diesel turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	•	•	•	•	•
P50e	2.5L I4 e-Skyactiv PHEV	Skyactiv-Drive 8-speed automatic	AWD	•	•	•	•	•

Options


Takumi Package	SP Package
Optional on Azami	Optional on Azami
Pure White nappa leather seat trim	Tan nappa leather seat trim
Bright decoration panel	20-inch black metallic alloy wheels
Cloth dashboard panel with Kakapui stitching	Dark coloured side signature
Kakenui stitching	Gloss black honeycomb grille
White Maple wood console and door trim inserts	Gloss black exterior mirrors
	LED headlamps with dark signature
	Suede finish dashboard panel
	Two-tone steering wheel

 \bullet = Standard



Powertrain		3.3L In-line 6-cylinder e-Skyactiv G	3.3L In-line 6-cylinder e-Skyactiv D	2.5L e-Skyactiv PHEV
Bore and stroke (mm)		86 x 94.2	86 x 94.2	89 x 100.0
Compression ratio		12.0 : 1	15.2 : 1	13.0 : 1
Drive system		i-Activ AWD	i-Activ AWD	i-Activ AWD
Emissions standard			Euro stage 5	
Engine capacity (cc)		3,283	3,283	2,488
Engine type		3.3 litre turbo in-line 6 cylinder 24 valve DOHC petrol (Skyactiv-G)	3.3 litre turbo in-line 6 cylinder 24 valve DOHC diesel (Skyactiv-D)	2.5 litre in-line 4 cylinder 16 valve DOHC petrol (Skyactiv-G)
High Voltage Battery	Туре	—	_	Lithium ion
	Voltage	—	—	355
High Voltage Battery cap	acity (kWh)	—	—	17.8
Charging (AC)	Port type	_	_	Type 2
	Maximum charging rate (kW)	_	_	7.2
	Approximate charging time at maximum rate (from 20% to 80%)		_	90 min
Electrification		M Hybrid Boost (48V mild hybrid)	M Hybrid Boost (48V mild hybrid)	Plug-In Hybrid (PHEV)
Fuel consumption	combined	7.4	5.0	2.1
(l/100km) ⁶ :	extra-urban	6.0	4.7	_
	urban	9.9	5.5	—
Electric Range (km)*:		N/A	N/A	76
CO_2 emissions (g/km)*:	combined	174	132	49
Fuel system		Electronic direct injection	Common rail, electronic direct injection	Electronic direct injection
Fuel tank capacity (litres)		58	58	50

* Fuel consumption, electric range and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing different vehicles. They may not be the results achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



Powertrain (Continued)		3.3L In-line 6-cylinder e-Skyactiv G	3.3L In-line 6-cylinder e-Skyactiv D	2.5L e-Skyactiv PHEV
Gear ratio – Manual / Auto:	1st	5.258	5.258	5.258
	2nd	3.303	3.303	3.303
	3rd	2.129	2.129	2.129
	4th	1.705	1.705	1.705
	5th	1.300	1.300	1.300
	6th	1.000	1.000	1.000
	7th	0.822	0.822	0.822
	8th	0.628	0.628	0.628
	Reverse	4.034	4.034	4.034
	Final drive	3.692	3.692	4.444
Maximum power		209 kW @ 5,000 – 6,000 rpm	187 kW @ 3,750 rpm	241 kW @ 6,000 rpm
Maximum torque		450 Nm @ 2,000 – 3,500 rpm	550 Nm @ 1,500 – 2,400 rpm	500 Nm @ 4,000 rpm
Recommended fuel		Unleaded or E10 (91RON or higher)	Diesel	Unleaded (95RON or higher)
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Transmission:		8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)



Chassis and Powertra	ain Technologies	G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
Automatic transmissi	on kickdown switch			•		•		•	•	•					•	
Brake by Wire		•	•	•	•	•					•	•	•	•	•	
Electric Parking Brake	with Auto Hold	•	•	•	•						•	•	•	•		
Electric power assist s	steering	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Electronic gear shifter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Launch Assist (HL	.A)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
i-stop		•	•	•	•			•			•	•	•	•		
Mi-Drive	Sport mode		•	•	•			•			•	•	•	•		
	Off-road mode		•	•	•			•	•		•	•	•	•	•	
	Towing mode [¶]	•	•	•	•	•			•		•	•	•	•	•	
	EV mode	—	—	•	—	—		—			—	—		—	—	
Skyactiv-Body			•	•	•						•	•	•	•		
Skyactiv-Chassis			•	•	•						•	•	•	•		
Skyactiv-Vehicle Dynamics	G-Vectoring Control Plus (GVC-Plus)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Kinetic Posture Control (KPC)	•	•	•	•						•	•	•	•		
Paddle shift gear cont	trol	•	•	•	•						•	•	•	•		
M Hybrid Boost			•	—	•		—	•		—	•	•	—	•		
Plug-in Hybrid		—	—	•	—	—		—	—		—	—	•	—	—	

• = Standard, - = Not available.

¶ When fitted with a Mazda Genuine Towing Kit.



Chassis and Powertrain Te	echnologies (Continued)	G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P: A
Brake diameter (mm):	front	347	328	347	347	328	347	347	328	347	347	328	347	347	328	34
	rear								328							
Brake type:	front							Ve	entilated d	lisc						
	rear		Ventilated disc													
Steering type							- Rack-an	d-pinion v	vith electr	ic power a	assistance					
Suspension:	front							Dou	uble wisht	oone						
	rear								Multi-link							
Turning circle kerb to kerb) (m)								10.8							
Tyre size					2	235/60 R18	8						235/5	50 R20		
Tyre index						103V							10	0W		
Wheel size						18x7-1/2J							20x2	7-1/2J		
Wheel type		Alloy														
Tyre size (spare)		T155/90D	18 113M	Repair	T155/90E	D18 113M	Repair	T155/90D	018 113M	Repair	T155/90E	D18 113M	Repair	T155/90D	018 113M	R
Wheel type (spare)		Temporar	ry (steel)	kit	Tempora	ry (steel)	kit	Tempora	ry (steel)	kit	Tempora	ry (steel)	kit	Tempora	ry (steel)	



Dimensions		G40e Pure	D50e Pure	P50e Pure	G40 Evolv
Ground clearance with 2	75kg driver (mm)				
Overall length (mm)					
Overall width (mm)	Excluding mirrors				
	Mirrors folded				
	Mirrors open				
Overall height (mm)					
Track (mm):	Front				
	Rear				
Wheelbase (mm)					

Weights and Capaci	ties	G40e Pure	D50e Pure	P50e Pure	G40 Evolv
Cargo room volume VDA (litres)	all seats up to rear package tray (or seatback) w/ underfloor storage space				
Cargo room volume VDA (litres)	2nd row seats down, up to ceiling w/ underfloor storage space				
Gross Vehicle Mass (GVM) (kg) ²	2,500	2,501	2,683	2,50
Kerb weight (kg) ³ :		1,921	1,963	2,111	1,92
Payload (kg) ⁴		579	538	572	579
Towing capacity [¶]	Braked	2,500	2,000	2,500	2,50
(kg):	Unbraked				
Tow-ball download r	naximum [¶] (kg)				

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.


(2) Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

(3) Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

(4) Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.


0e Ive	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	Р: А
	170							17	5		
				4,740							
				1,890							
				1,949							
				2,134							
	1,675							1,6	80		
				- 1,640							
				- 1,645							
				- 2,870							
0e Ive	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P: A
	Evolve	Evolve		Touring						_	-
lve 	Evolve	Evolve	Touring	Touring	Touring	GT		GT	Azami	_	-
lve 	Evolve	Evolve	Touring	Touring 477 1,726	Touring	GT	GT	GT	Azami	Azami	A
lve 00	Evolve 2,501	Evolve 2,683	Touring 2,500	Touring 477 1,726 2,501	Touring 2,683	GT 2,500	GT 2,501	GT 2,683	Azami 2,500	Azami 2,501	A 2
lve 00 21	Evolve 2,501 1,963	Evolve 2,683 2,111	Touring 2,500 1,921	Touring 477 2,501 1,963	Touring 2,683 2,111	GT 2,500 1,949	GT 2,501 1,990	GT 2,683 2,139	Azami 2,500 1,949	Azami 2,501 1,990	A
lve 00 21 79	Evolve 2,501 1,963 538	Evolve 2,683 2,111 572	Touring 2,500 1,921 579	Touring 477 2,501 1,963 538	Touring 2,683 2,111 572	GT 2,500 1,949 551	GT 2,501 1,990 511	GT 2,683 2,139 544	Azami 2,500 1,949 551	Azami 2,501 1,990 511	A 2 2
lve 00 21	Evolve 2,501 1,963	Evolve 2,683 2,111	Touring 2,500 1,921	Touring 477 2,501 1,963 538 2,000	Touring 2,683 2,111 572 2,500	GT 2,500 1,949 551 2,500	GT 2,501 1,990	GT 2,683 2,139 544 2,500	Azami 2,500 1,949	Azami 2,501 1,990	A 2





Exterior		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
Daytime running lam	ps (LED)		•	•	•			•			•					
Door handles (body c	coloured)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Front and rear bumpe	ers (body coloured)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Green-tinted windscr	reen, side and rear windows	•	•	•	•	•	•	•	•	•	•		•	•	•	
Headlamps	LED	•	•	•	•		•	•		•			•	•	•	
	auto on/off function	•	•	•	•	•	•	•		•	•			•	•	
Exterior mirrors	body-colour	•	•	•	•	•	•	•	•	•	—	—	—	•	•	
	gloss black	—	—	—	—	—	—	—	—	—	•			$O^{\#}$	$O^{\#}$	$O^{\#}$
	auto dimming function (driver)	•	•	•	•		•	•					•		•	
	reverse tilt down function	—	—	—	—	—	—	•					•		•	
	power adjustment	•	•	•	•		•	•					•		•	
	2-position memory	—	—	—	—	—	—	•		•			•		•	
	auto folding	•	•	•	•		•	•		•			•		•	
	heated	•	•	•	•		•	•		•			•		•	
Power sliding panorar	mic sun-roof	—	—	—	—	—	—	—	—	—	•			•	•	
Power windows	with auto up/down (all windows)	•	•	•	•		•	•		•	•				•	
	with remote open	•	•	•	•		•	•	•	•	•		•	•	•	
Rear spoiler		•	•	•	•	•	•	•	•	•	•			•	•	
Remote operated pov	wer tailgate (open/close)	—	—	—	•	•	•	•	•	•	—	—	—	—	—	—
Hands-free remote or	perated power tailgate (open/close)	—	—	—	—	—	—	—	—	—	•	•		•	•	
Tail-lamps (LED)		•	•	•	•	•	•	•	•	•	•	•		•	•	
Window demister (rea	ar)	•	•		•	•	•	•	•	•	•	•		•	•	
Wipers (front) 2-spee	d with rain-sensing function	•	•		•	•	•	•	•	•	•	•	•		•	
Wiper (rear) with inte	ermittent function	•	•	•	•	•	•	•	•	•	•	•	•		•	

• = Standard, $O^{\#}$ = Available as part of optional SP package, — = Not available




Black Black Reve	ck cloth ck Maztex ck leather era Stone leather ¹	•	•	•												
Black	ck leather		_					—	—		—	—	—	_	—	—
Reve		_		—	•	•	•	—	—	—	—	—	_	—	—	—
	era Stone leather ¹		—	—	—	—	_	•	•	•	•	•	•	—	—	—
		—	—	—	—		_	_		—	О	0	0	—	—	—
Black	ck nappa leather ¹	_	—	—	—		_	_		—	_	—	_	•	•	
Pure	e White nappa leather with quilting ¹	_	—	—	—		_	_		—	_	—		O^{\wedge}	O^{\wedge}	O^{\wedge}
Tan r	nappa leather with quilting ¹	—	—	—	—	—	—	—		—	—	—	—	$O^{\#}$	$O^{\#}$	$O^{\#}$
Front seats with: 10-w	way power adjustment (driver)	—	—	—	—	—	—		•	•	•	•		•	•	
2-ро	osition memory (driver)	—	—	—	—	—	—		•	•	•	•		•	•	
8-wa	ay power adjustment (passenger)	—	—	—	—	—	—		•	•	•	•		•	•	
Adju	ustable head restraints	•	•	•	•			•	•	•	•	•		•	•	
Heat	ating	—	—	—	—		_	•	•	•	•	•	•	•	•	
Heig	ght adjustment	•	•	•	•		•	•	•	•	•	•	•	•	•	
Luml	nbar adjustment (driver)	—	—	—	—	—	—	•	•	•	•	•		•	•	
Rake	e and slide adjustment	•	•	•	•		•	•	•	•	•	•		•	•	
Seat	t back pocket (driver and passenger)	•	•	•	•		•	•	•	•	•	•		•	•	
Vent	tilation	—	—	—	—	—	—	—		—	—	—	—	•	•	
Rear seats with: $40/2$	20/40 split fold backrest	•	•	•	•		•	•	•	•	•	•	•	•	•	
Adju	ustable head restraints	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Cent	ntre fold down armrest	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Heat	iting	—	_	—	—	—	_	—	_							

• = Standard, O^{\wedge} = Available as part of optional Takumi package, $O^{\#}$ = Available as part of optional SP package, - = Not available 1 Leather interior includes some Maztex material on selected high impact surfaces.




Interior		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
12-volt auxilliary power ou	utlet		•	•												
AC Power Outlet	150W	•	•	•	•		•				•	•		•		
	1,500W	—	—	•	—	—	•	_	_		_	_	•	—	_	
Active Driving Display		•	•	•	•	•	•	•	•	•	•	•	•	•		
Air-conditioning (dual-zon	ne climate control) with rear vents	•	•	•	•	•	•	•	•	•	•	•	•	•		
Ambient temperature disp	olay	•	•	•	•	•	•	•	•	•	•	•	•	•		
Centre armrest console wi	ith tray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Critical function warning li	ights/chimes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Cruise control		•	•		•	•	•	•	•	•	•	•	•	•	•	
Cupholders		•			•	•	•	•	•	•	•	•	•	•	•	
Door bottle holders	Front and rear	•			•	•	•	•	•	•	•	•	•	•	•	
Electric Parking Brake (EPB) with Auto Hold	•			•	•	•	•	•	•	•	•	•	•	•	
Electric steering wheel adj	ustment	-	—	_	—	—	—	—	_	_	•	•	•		•	
Glove box	with LED lamp	•		•		•	•	•	•	•	•	•	•		•	
i-Adaptive Cruise Control	(i-ACC)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Instrument panel light dim	nmer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Interior illumination:	Ambient lighting	-	—	—	—	—	—	—	_	_	—	—	—	•	•	
	Cargo room lamp	•	•	•		•		•	•	•	•		•	•	•	
	Entry system with delayed fade	•	•	•	•	•	•	•	•	•	•		•	•	•	
	Map reading spot lamps	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Leather-wrapped:	Gear shift knob	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Steering wheel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Mi-Drive		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Multi-information meter	7-inch	•	•	—	—	—	—	—	—	—	—	—	—	—	—	—
display	12.3-inch	—	-	•	•	•	•	•	•	•	•	•	•	•		
One touch (up and down)	power windows (all)	•	•	•			•	•			•	•		•		

• = Standard, - = Not available



Interior (Continued)		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
Overhead sunglass storage box		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Personalise System	Auto restoration of settings	—	—	—	—	—	—	_	_	_	•		•	•		
	Easy entry & driving position guide	—	—	—	—	—	—	—	—	—	—	—	—	•		
Rear-view mirror with auto dimming function				•				•			•		•	•		
Remote window open				•				•					•	•		
Tachometer and electronic odometer/ tripmeter				•				•					•	•		
Tilt and telescopic adjust	able steering wheel			•		•		•			•		•	•		
Trip Computer				•		•		•					•	•		
USB-C charging points	front			•	•	•		•					•	•		
	rear			•	•	•	•	•					•	•		
Vanity mirrors (front) with illumination		•	•	•	•	•	•	•	•	•	•	•	•	•	•	


• = Standard, - = Not available.



Infotainment		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
Apple CarPlay ^{®3} wireless & USB		•				•		•								
Android Auto ^{™3}	wireless & USB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Bluetooth [®] hands-free phone and audio capability ³		•		•	•	•	•	•			•	•		•		
Multi-function commander control		•		•	•	•	•	•			•	•				
Premium Bose [®] amplifier and speakers		—	—	—	—	—	—	—	—	—	•	•				
Radio	AM/FM tuner	•		•	•	•		•	•			•			•	
	DAB+ digital radio	•		•	•	•		•	•	•		•	•		•	
	Radio Data System (RDS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Satellite navigation		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Speakers	8	•	•	•	•	•	•	•	•	•	—	—	—	—	—	—
	12	—	—	—	—	—	—	—	—	—	•	•	•	•	•	
Steering wheel-mounted audio co	ontrols	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
USB-audio input port	USB-C	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Widescreen colour infotainment display (Mazda Connect)	10.25-inch	•	•	•	•	•	•	•	•	•	—	—	—	—	—	
	12.3-inch	—	—	—	—	—	—	—	—	—	•	•	•	•	•	
Wireless phone charger ³		—		—	•	•	•	•	•	•	•	•	•	•	•	


• = Standard, - = Not available.

3 Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.



Safety and Security		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
360° View Monitor [†]					•				•							
	with See-Through View	-	—	—	•		•	•	•		•	•		•		
Advanced keyless entry with push-button engine start		•			•	•	•	•	•		•	•	•	•	•	
Airbags SRS:	Front (driver and passenger)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Side (front and rear)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Curtain (front and rear)	•	•	•	•	•	•	•	•		•	•		•	•	
	Far-side (driver)	•	•	•	•	•	•	•	•	•	•	•		•	•	
	Knee (driver)	•	•	•	•	•	•	•	•	•	•	•		•	•	
Anti-lock Braking System (ABS)		•	•	•	•	•	•	•	•	•	•	•		•	•	
Blind Spot Monitoring (BSM) with Vehicle Exit Warning		•	•	•	•	•	•	•	•	•	•	•		•	•	
Childproof rear door locks		•	•		•	•	•	•	•	•	•	•	•	•	•	
Cruising & Traffic Support (CTS) ⁺		-	—	—	•		•	•	•	•	•	•	•	•		
Driver Attention Alert (DAA) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•		
Driver Monitoring [†]		-	—	—	•		•	•	•	•	•	•	•	•		
Dynamic Stability Control (I	DSC) [†]		•	•	•			•	•	•	•	•	•	•		
Electronic Brake-force Distrib	oution (EBD)		•	•	•			•	•	•	•	•		•		
Emergency Brake Assist (EBA))		•	•	•		•	•	•	•	•	•		•		
Emergency Lane Keeping [†]	with Road Keep Assist		•	•	•		•	•	•	•	•	•	•	•		
	with Blind Spot Assist	•	•	•	•		•	•	•	•	•	•	•	•		
Emergency Stop Signal (ESS)			•	•	•		•	•	•	•	•	•		•		
Engine immobiliser		•	•	•	•		•	•	•	•	•	•	•	•		
Forward Obstruction Warning (FOW) [†]		•	•	•	•	•	•	•	•	•	•	•		•	•	
Front Cross Traffic Alert (FCTA) ⁺		-	—	—	•		•	•	•	•	•	•	•	•		
G-Vectoring Control Plus (GVC-Plus) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Headlights:	High Beam Control (HBC) [†]	•	•	•	•	•	•	•	•	•	—	—	—	—	—	—
	Adaptive LED Headlights (ALH)	-	_		—	_	—	—	—		•	•	•	•		

+ Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.





Safety and Security (Continued)		G40e Pure	D50e Pure	P50e Pure	G40e Evolve	D50e Evolve	P50e Evolve	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50 Aza
High mount stop lamp			•				•									
Hill Descent Control (HDC) ⁺		•	•	•	•	•	•	•	•	•	•	•		•	•	
Hill Launch Assist (HLA)		•	•	•	•	•	•	•	•	•		•		•	•	
ISOFIX child restraint anchor points and top tethers		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lane-keep Assist System (LAS) [†]		•	•	•	•	•	•	•	•	•	•	•	•		•	
Left-hand-side convex (wide angle	e) exterior mirror	•	•	•	•	•	•	•	•	•		•	•		•	
Parking sensors [†]	front	•	•	•	•	•	•	•	•	•	•	•	•		•	
	rear	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear Cross Traffic Alert (RCTA) ⁺		•	•	•	•	•	•	•	•	•	•	•	•		•	
Remote central locking (2 transmitters)		•	•	•	•	•	•	•	•	•		•	•	•	•	
Reverse camera [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Seat-belt warning (front and rear)		•	•	•	•	•	•	•	•	•	•	•	•		•	
Seat-belts (front) 3-point lap-sash with pretensioners, load-limiters and height adjustable shoulder anchorages		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Seat-belts (rear) 3-point lap-sash w	with load-limiters		•			•	•	•		•		•				
Side impact door beams		•	•	•		•	•	•	•	•		•			•	
Smart Brake Support (SBS) ⁺	Front with pedestrian and cycle detection	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Rear (SBS-R)		•			•	•	•		•		•				
	Rear Crossing (SBS-RC)		•			•	•	•		•		•			•	
	Turn-across Traffic	•	•	•		•	•	•	•	•		•				
Traction Control System (TCS) ⁺		•	•		•	•	•	•		•	•	•	•			
Traffic Sign Recognition (TSR) ⁺			•		•	•	•	•		•	•	•	•			
'Triple H' safety construction with front and rear crumple zones		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Tyre Pressure Monitoring System (TPMS) ⁺			•			•	•	•								
Whiplash-minimising front seats		•	•	•	•	•	•	•	•	•		•	•		•	

 \bullet = Standard.

† Driver assist technology only and should not with all applicable laws at all times.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply





Overseas mode

For further information, visit mazda.com.au or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. Published April 2025. P00002986

