

Overseas model shown

MAZDA CX-60



ZOOM-ZOOM





MAZDA CX-60 PURE – STANDARD ACROSS EVERY GRADE

- | | | |
|--|---|---|
| » 10.25-inch full colour widescreen display | » Bright “In-line 6” side signature (G40e/D50e) | » Rear console with USB-C (G25) |
| » 7-inch TFT LCD multi-information meter display (G25/G40e/D50e) | » Bright “PHEV” side signature (P50e) | » Rear console with USB-C and 150W AC outlet (G40e/D50e/P50e) |
| » 12.3-inch TFT LCD multi-information meter display (P50e) | » Cargo net | » Rear power outlet socket with 1,500W AC (P50e) |
| » 18-inch grey metallic alloy wheels | » Dual-zone climate control with rear vents | » Satellite navigation |
| » 360° view monitor | » Exterior with power adjustment, auto fold, heating and auto dimming | » Smart Brake Support (SBS) with Turn-across traffic† |
| » 8 speaker audio with DAB+ | » Front & Rear parking sensors | » Vanity mirror with lamp |
| » Active driving display | » Gloss black side pillar garnish | |
| » Advanced keyless entry | » Glove box illumination | |
| » Apple CarPlay® and Android Auto™ (wireless and USB)§ | » Honeycomb grille | |
| » Auto-dimming rear-view mirror | » Leather shift knob | |
| » Black cloth seat trim with 8-way manual driver’s seat adjustment | » Leather steering wheel | |
| » Blind Spot Monitoring (BSM) with Vehicle Exit Warning† | » LED headlamps with auto on/off and High Beam Control (HBC) | |
| » Body colour exterior mirrors | » Manual steering wheel adjustment | |
| | » Overhead console with sunglass holder | |

POWERTRAIN

Skyactiv-G (G25)

- » 2.5 litre in-line 4 cylinder 16 valve petrol with i-stop
- » RWD
- » 138 kW @ 6,000 rpm (max. power)
- » 250 Nm @ 3,000 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv G Hybrid (G40e)

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D Hybrid (D50e)

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv Plug-In Hybrid (P50e)

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



MAZDA CX-60 EVOLVE – ADDITIONAL TO PURE

- » 12.3-inch TFT LCD multi-information meter display
- » 360° view monitor with see through view[†]
- » Black Maztex trim with 8-way manual driver's seat adjustment
- » Cruising & Traffic Support (CTS)[†]
- » Driver monitoring[†]
- » Front Cross Traffic Alert (FCTA)[†]
- » Remote operated power tailgate (open/close)
- » Wireless phone charger[§]

POWERTRAIN

Skyactiv-G (G25)

- » 2.5 litre in-line 4 cylinder 16 valve petrol with i-stop
- » RWD
- » 138 kW @ 6,000 rpm (max. power)
- » 250 Nm @ 3,000 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv G Hybrid (G40e)

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D Hybrid (D50e)

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv Plug-In Hybrid (P50e)

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



MAZDA CX-60 TOURING – ADDITIONAL TO EVOLVE

- » Black leather seat trim
- » Exterior mirror memory
- » Heated front seats (driver and passenger)
- » Power seat adjustment (driver & passenger) with position memory (driver)
- » Rear console with LED lamp



POWERTRAIN

Skyactiv-G (G25)

- » 2.5 litre in-line 4 cylinder 16 valve petrol with i-stop
- » RWD
- » 138 kW @ 6,000 rpm (max. power)
- » 250 Nm @ 3,000 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv G Hybrid (G40e)

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D Hybrid (D50e)

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv Plug-In Hybrid (P50e)

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



MAZDA CX-60 GT – ADDITIONAL TO TOURING

- | | | |
|--|--|---|
| » 12.3-inch full colour widescreen display (Mazda Connect) | » Electric steering wheel adjustment | » Panoramic sunroof |
| » 20-inch black metallic alloy wheels | » Gloss black exterior mirrors | » Personalise system (auto restoration of settings) |
| » Adaptive LED Headlamps (ALH) | » Gloss black honeycomb grille | » Premium Bose® amplifier and 12 speakers |
| » Body-coloured wheel arches and lower cladding | » Hands-free remote operated power tailgate (open/close) | » Rear combination lights with signature illumination |
| » Dark “In-line 6” side signature (G40e/D50e) | » Heated seats (front & rear) | |
| » Dark “PHEV” side signature (P50e) | » Heated steering wheel | |
| | » LED headlamps with dark signature | |

POWERTRAIN

- | | |
|---|---|
| e-Skyactiv G Hybrid (G40e) | » 187 kW @ 3,750 rpm (max. power) |
| » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop | » 550 Nm @ 1,500-2,400 rpm (max. torque) |
| » i-Activ AWD | » Skyactiv-Drive 8-speed automatic transmission |
| » 209 kW @ 5,000-6,000 rpm (max. power) | |
| » 450 Nm @ 2,000-3,500 rpm (max. torque) | |
| » Skyactiv-Drive 8-speed automatic transmission | |
| e-Skyactiv D Hybrid (D50e) | e-Skyactiv Plug-In Hybrid (P50e) |
| » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop | » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop |
| » i-Activ AWD | » i-Activ AWD |
| | » 241 kW @ 6,000 rpm (max. power) |
| | » 500 Nm @ 4,000 rpm (max. power) |
| | » Skyactiv-Drive 8-speed automatic transmission |

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



MAZDA CX-60 AZAMI – ADDITIONAL TO GT

- » 20-inch black metallic and machined alloy wheels
- » Black nappa leather seat trim
- » Body colour exterior mirrors
- » Bright “In-line 6” side signature (G40e/D50e)
- » Bright “PHEV” side signature (P50e)
- » Foot lamp
- » Frameless interior mirror
- » Front bumper with bar type grille
- » Leather side door trim with courtesy lamp
- » LED headlamps with bright signature
- » Personalise system with Easy Entry & Driving position guide
- » Ventilated seats (front)

POWERTRAIN

e-Skyactiv G Hybrid (G40e)

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D Hybrid (D50e)

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv Plug-In Hybrid (P50e)

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

CHOOSE YOUR COLOUR AND INTERIOR TRIMS



Rhodium White
Metallic~

Sonic Silver
Metallic

Platinum Quartz
Metallic


Zircon Sand
Metallic~

Soul Red Crystal
Metallic~

Deep Crystal Blue
Mica

Machine Grey
Metallic~

Jet Black
Mica



Black cloth (Pure)

Black Maztex (Evolve)

Black leather (Touring
and GT)#

Revera stone leather (GT)#

Black nappa leather
(Azami)#

Tan nappa leather
(Azami with SP package)#

Pure white nappa leather
(Azami with Takumi
package)#

~At extra cost. # Leather interior includes some Maztex material on selected high-impact surfaces.

SPECIFICATIONS

Model availability				Pure	Evolve	Touring	GT	Azami
G25	2.5L I4 Skyactiv-G Petrol	Skyactiv-Drive 8-speed automatic	RWD	●	●	●	—	—
G40e	3.3L I6 e-Skyactiv G Petrol turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●	●	●
D50e	3.3L I6 e-Skyactiv D Diesel turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●	●	●
P50e	2.5L I4 e-Skyactiv PHEV	Skyactiv-Drive 8-speed automatic	AWD	●	●	●	●	●

Options

Takumi Package	SP Package
<i>Optional on Azami</i>	<i>Optional on Azami</i>
Pure White nappa leather seat trim	Tan nappa leather seat trim
Bright decoration panel	20-inch black metallic alloy wheels
Cloth dashboard panel with Kakenui stitching	Dark coloured side signature
White Maple wood console and door trim inserts	Gloss black honeycomb grille
	Gloss black exterior mirrors
	LED headlamps with dark signature
	Suede finish dashboard panel
	Two-tone steering wheel

● = Standard

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. ^Standard on P50E Evolve

SPECIFICATIONS

Powertrain		2.5L Skyactiv-G	3.3L In-line 6 e-Skyactiv G Hybrid	3.3L In-line 6 e-Skyactiv D Hybrid	2.5L e-Skyactiv Plug-In Hybrid
Bore and stroke (mm)		86 x 94.2	86 x 94.2	86 x 94.2	89 x 100.0
Compression ratio		12.0 : 1	12.0 : 1	15.2 : 1	13.0 : 1
Drive system		RWD	i-Activ AWD	i-Activ AWD	i-Activ AWD
Emissions standard		----- Euro stage 5 -----			
Engine capacity (cc)		2,488	3,283	3,283	2,488
Engine type		2.5 litre in-line 4 cylinder 16 valve DOHC petrol (Skyactiv-G)	3.3 litre turbo in-line 6 cylinder 24 valve DOHC petrol (Skyactiv-G)	3.3 litre turbo in-line 6 cylinder 24 valve DOHC diesel (Skyactiv-D)	2.5 litre in-line 4 cylinder 16 valve DOHC petrol (Skyactiv-G)
High Voltage Battery	Type	—	—	—	Lithium ion
	Voltage	—	—	—	355
High Voltage Battery capacity (kWh)		—	—	—	17.8
Charging (AC)	Port type	—	—	—	Type 2
	Maximum charging rate (kW)	—	—	—	7.2
	Approximate charging time at maximum rate (from 20% to 80%)	—	—	—	90 min
Electrification		—	M Hybrid Boost (48V mild hybrid)	M Hybrid Boost (48V mild hybrid)	Plug-In Hybrid (PHEV)
Fuel consumption (l/100km)6:	combined	7.5	7.4	5.0	2.1
	extra-urban	6.4	6.0	4.7	—
	urban	9.3	9.9	5.5	—
Electric Range (km)*:		N/A	N/A	N/A	76
CO2 emissions (g/km)*:	combined	173	174	132	49
Fuel system		Electronic direct injection	Electronic direct injection	Common rail, electronic direct injection	Electronic direct injection
Fuel tank capacity (litres)		58	58	58	50

* Fuel consumption, electric range and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing different vehicles. They may not be the results achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

Powertrain (Continued)		2.5L Skyactiv-G	3.3L In-line 6 e-Skyactiv G Hybrid	3.3L In-line 6 e-Skyactiv D Hybrid	2.5L e-Skyactiv Plug-In Hybrid
Gear ratio — Manual / Auto:	1st	5.258	5.258	5.258	5.258
	2nd	3.303	3.303	3.303	3.303
	3rd	2.129	2.129	2.129	2.129
	4th	1.705	1.705	1.705	1.705
	5th	1.300	1.300	1.300	1.300
	6th	1.000	1.000	1.000	1.000
	7th	0.822	0.822	0.822	0.822
	8th	0.628	0.628	0.628	0.628
	Reverse	4.034	4.034	4.034	4.034
	Final drive	4.181	3.692	3.692	4.444
Maximum power		138 kW @ 6,000 rpm	209 kW @ 5,000 – 6,000 rpm	187 kW @ 3,750 rpm	241 kW @ 6,000 rpm
Maximum torque		250 Nm @ 3,000 rpm	450 Nm @ 2,000 – 3,500 rpm	550 Nm @ 1,500 – 2,400 rpm	500 Nm @ 4,000 rpm
Recommended fuel		Unleaded or E10 (91RON or higher)	Unleaded or E10 (91RON or higher)	Diesel	Unleaded (95RON or higher)
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Transmission:		8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)

SPECIFICATIONS

Chassis and Powertrain Technologies		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Automatic transmission kickdown switch		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Brake by Wire		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electric Parking Brake with Auto Hold		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electric power assist steering		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic gear shifter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
i-stop		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mi-Drive	Sport mode	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Off-road mode	—	●	●	●	—	●	●	●	—	●	●	●	●	●	●	●	●	●
	Towing mode [¶]	—	●	●	●	—	●	●	●	—	●	●	●	●	●	●	●	●	●
	EV mode	—	—	—	●	—	—	—	●	—	—	—	●	—	—	●	—	—	●
Skyactiv-Body		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Skyactiv-Chassis		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Kinetic Posture Control (KPC)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Paddle shift gear control		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
M Hybrid Boost		—	●	●	—	—	●	●	—	—	●	●	—	●	●	—	●	●	—
Plug-in Hybrid		—	—	—	●	—	—	—	●	—	—	—	●	—	—	●	—	—	●

● = Standard, — = Not available.

¶ When fitted with a Mazda Genuine Towing Kit.

SPECIFICATIONS

Chassis and Powertrain Technologies (Continued)		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Brake diameter (mm):	front	347	347	328	347	347	347	328	347	347	347	328	347	347	328	347	347	328	347
	rear	----- 328 -----																	
Brake type:	front	----- Ventilated disc -----																	
	rear	----- Ventilated disc -----																	
Steering type		----- Rack-and-pinion with electric power assistance -----																	
Suspension:	front	----- Double wishbone -----																	
	rear	----- Multi-link -----																	
Turning circle kerb to kerb (m)		----- 10.8 -----																	
Tyre size		----- 235/60 R18 -----												----- 235/50 R20 -----					
Tyre index		----- 103V -----												----- 100W -----					
Wheel size		----- 18x7-1/2J -----												----- 20x7-1/2J-----					
Wheel type		----- Alloy -----																	
Tyre size (spare)		T155/90D18 113M			Repair kit	T155/90D18 113M			Repair kit	T155/90D18 113M			Repair kit	T155/90D18 113M		Repair kit	T155/90D18 113M		Repair kit
Wheel type (spare)		Temporary (steel)				Temporary (steel)				Temporary (steel)				Temporary (steel)			Temporary (steel)		

SPECIFICATIONS

Dimensions		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Ground clearance with 75kg driver (mm)		-----170-----												----- 175 -----					
Overall length (mm)		----- 4,740 -----																	
Overall width (mm)	Excluding mirrors	----- 1,890 -----																	
	Mirrors folded	----- 1,949 -----																	
	Mirrors open	----- 2,134 -----																	
Overall height (mm)		-----1,675-----												----- 1,680 -----					
Track (mm):	Front	----- 1,640 -----																	
	Rear	----- 1,645 -----																	
Wheelbase (mm)		----- 2,870 -----																	

Weights and Capacities		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Cargo room volume VDA (litres)	all seats up to rear package tray (or seatback) w/ underfloor storage space	----- 570 -----																	
Cargo room volume VDA (litres)	2nd row seats down, up to ceiling w/ underfloor storage space	----- 1,726 -----																	
Gross Vehicle Mass (GVM) (kg) ²		2,272	2,500	2,501	2,683	2,272	2,500	2,501	2,683	2,272	2,500	2,501	2,683	2,500	2,501	2,683	2,500	2,501	2,683
Kerb weight (kg) ³ :		1,847	2,005	2,033	2,195	1,847	2,005	2,033	2,195	1,847	2,005	2,033	2,195	2,033	2,073	2,220	2,033	2,073	2,220
Payload (kg) ⁴		425	579	538	572	425	579	538	572	425	579	538	572	551	511	544	551	511	544
Towing capacity [¶] (kg):	Braked	1,800	2,500	2,000	2,500	1,800	2,500	2,000	2,500	1,800	2,500	2,000	2,500	2,500	2,000	2,500	2,500	2,000	2,500
	Unbraked	----- 750 -----																	
Tow-ball download maximum [¶] (kg)		----- 150 -----																	

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

(2) Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

(3) Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

(4) Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

SPECIFICATIONS

Exterior		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Daytime running lamps (LED)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Door handles (body coloured)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front and rear bumpers (body coloured)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Green-tinted windscreen, side and rear windows		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Headlamps	LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	auto on/off function	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Exterior mirrors	body-colour	●	●	●	●	●	●	●	●	●	●	●	●	—	—	—	●	●	●
	gloss black	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	○ [#]	○ [#]	○ [#]
	auto dimming function (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	reverse tilt down function	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	power adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	2-position memory	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	auto folding	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	heated	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Power sliding panoramic sun-roof		—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Power windows	with auto up/down (all windows)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	with remote open	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear spoiler		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Remote operated power tailgate (open/close)		—	—	—	—	●	●	●	●	●	●	●	●	—	—	—	—	—	—
Hands-free remote operated power tailgate (open/close)		—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Tail-lamps (LED)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window demister (rear)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wiper (rear) with intermittent function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, ○[#] = Available as part of optional SP package, — = Not available

SPECIFICATIONS

Seats		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Seat trim:	Black cloth	●	●	●	●	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Black Maztex	—	—	—	—	●	●	●	●	—	—	—	—	—	—	—	—	—	—
	Black leather	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	—	—	—
	Revera Stone leather ¹	—	—	—	—	—	—	—	—	—	—	—	—	○	○	○	—	—	—
	Black nappa leather ¹	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
	Pure White nappa leather with quilting ¹	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	○^	○^	○^
	Tan nappa leather with quilting ¹	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	○#	○#	○#
Front seats with:	10-way power adjustment (driver)	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	2-position memory (driver)	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	8-way power adjustment (passenger)	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Heating	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lumbar adjustment (driver)	—	—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Seat back pocket (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Ventilation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
Rear seats with:	40/20/40 split fold backrest	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Centre fold down armrest	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Heating	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●

● = Standard, ○^ = Available as part of optional Takumi package, ○# = Available as part of optional SP package, — = Not available

¹ Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

Interior		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
12-volt auxilliary power outlet		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
AC Power Outlet	150W	—	●	●	●	—	●	●	●	—	●	●	●	●	●	●	●	●	●
	1,500W	—	—	—	●	—	—	—	●	—	—	—	●	—	—	●	—	—	●
Active Driving Display		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Air-conditioning (dual-zone climate control) with rear vents		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Ambient temperature display		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre armrest console with tray		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Critical function warning lights/chimes		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cruise control		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cupholders		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Door bottle holders	Front and rear	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electric Parking Brake (EPB) with Auto Hold		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electric steering wheel adjustment		—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Glove box	with LED lamp	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
i-Adaptive Cruise Control (i-ACC)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Instrument panel light dimmer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Interior illumination:	Ambient lighting	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
	Cargo room lamp	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Entry system with delayed fade	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Leather-wrapped:	Gear shift knob	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Steering wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mi-Drive		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Multi-information meter display	7-inch	●	●	●	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12.3-inch	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One touch (up and down) power windows (all)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available

SPECIFICATIONS

Interior (Continued)		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Overhead sunglass storage box		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Personalise System	Auto restoration of settings	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
	Easy entry & driving position guide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
Rear-view mirror with auto dimming function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Remote window open		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tachometer and electronic odometer/ tripmeter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tilt and telescopic adjustable steering wheel		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trip Computer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-C charging points	front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	rear	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Vanity mirrors (front)	with illumination	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

SPECIFICATIONS

Infotainment		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Apple CarPlay® ³ wireless & USB		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Android Auto™ ³ wireless & USB		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability ³		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Multi-function commander control		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Premium Bose® amplifier and speakers		—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Radio	AM/FM tuner	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	DAB+ digital radio	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Radio Data System (RDS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Satellite navigation		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Speakers	8	●	●	●	●	●	●	●	●	●	●	●	●	—	—	—	—	—	—
	12	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Steering wheel-mounted audio controls		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-audio input port USB-C		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Widescreen colour infotainment display (Mazda Connect)	10.25-inch	●	●	●	●	●	●	●	●	●	●	●	●	—	—	—	—	—	—
	12.3-inch	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●
Wireless phone charger ³		—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

3 Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

SPECIFICATIONS

Safety and Security		G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
360° View Monitor†		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
with See-Through View		—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Advanced keyless entry with push-button engine start		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Airbags SRS:	Front (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Side (front and rear)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Curtain (front and rear)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Far-side (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Knee (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Anti-lock Braking System (ABS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Blind Spot Monitoring (BSM) with Vehicle Exit Warning		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Childproof rear door locks		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cruising & Traffic Support (CTS)†		—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver Attention Alert (DAA)†		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver Monitoring†		—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dynamic Stability Control (DSC)†		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic Brake-force Distribution (EBD)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Brake Assist (EBA)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping†	with Road Keep Assist	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	with Blind Spot Assist	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Stop Signal (ESS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Engine immobiliser		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Forward Obstruction Warning (FOW)†		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front Cross Traffic Alert (FCTA)†		—	—	—	—	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Headlights:	High Beam Control (HBC)†	●	●	●	●	●	●	●	●	●	●	●	●	—	—	—	—	—	—
	Adaptive LED Headlights (ALH)	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●	●	●	●

● = Standard, — = Not available

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

Safety and Security (Continued)	G25 Pure	G40e Pure	D50e Pure	P50e Pure	G25 Evolve	G40e Evolve	D50e Evolve	P50e Evolve	G25 Touring	G40e Touring	D50e Touring	P50e Touring	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
High mount stop lamp	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ISOFIX child restraint anchor points and top tethers	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane-keep Assist System (LAS) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Left-hand-side convex (wide angle) exterior mirror	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Parking sensors [†]	front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	rear	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear Cross Traffic Alert (RCTA) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Remote central locking (2 transmitters)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Reverse camera [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belt warning (front and rear)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (front) 3-point lap-sash with pretensioners, load-limiters and height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear) 3-point lap-sash with load-limiters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side impact door beams	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Smart Brake Support (SBS) [†]	Front with pedestrian and cycle detection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear (SBS-R)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear Crossing (SBS-RC)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Turn-across Traffic	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
‘Triple H’ safety construction with front and rear crumple zones	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Whiplash-minimising front seats	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Overseas model shown



ZOOM-ZOOM



For further information, visit mazda.com.au or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. Published September 2025. P00002663