

MAZDA BT-50



ZOOM-ZOOM



mazda



MAZDA BT-50 SINGLE CAB XS

- | | | |
|--|--|--|
| » Cab chassis | » Apple Carplay® (wireless & USB) [§] | » Autonomous Emergency Braking(AEB) [†] |
| » 17-inch steel wheels | » Android Auto™ (wireless & USB) [§] | » Blind Spot Monitor (BSM) [†] |
| » LED headlamps | » Bluetooth® hands-free phone and audio capability [§] | » Dynamic Stability Control (DSC) [†] |
| » Body-coloured exterior mirrors with power adjustment | » DAB+ digital radio | » Emergency Lane Keeping (ELK) – Overtaking [†] |
| » Black cloth seat trim | » USB-A charging point near rear vision mirror | » Emergency Lane Keeping (ELK) with road edge detection [†] |
| » Air-conditioning | » USB-C charging points (1 front) | » Emergency Stop Signal (ESS) [†] |
| » Power windows | » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver) | » Hill Descent Control (HDC) [†] |
| » Vinyl floor covering | » Anti-lock Braking System (ABS) [†] | » Hill Launch Assist (HLA) [†] |
| » Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†] | » Attention Assist [†] | » Lane Departure Prevention (LDP) [†] |
| » Idle Stop System | » Automatic High Beam (AHB) [†] | » Lane Departure Warning (LDW) [†] |
| » 8-inch full-colour touch screen | | |

POWERTRAIN

- | | |
|--|---|
| » Lane-keep Assist System (LAS) [†] | » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System |
| » Rear Cross Traffic Alert (RCTA) [†] | » Drivetrain: 4x2 |
| » Rear Cross Traffic Brake (RCTB) [†] | » Transmission: 8-speed automatic |
| » Reverse camera | » Max power: 120kW @ 3,600 rpm |
| » Roll Over Protection (ROP) [†] | » Max torque: 400Nm @ 1,600-2,400rpm |
| » Secondary Collision Reduction [†] | » Fuel consumption (combined): 6.9L/100km* |
| » Speed Assist System [†] | |
| » Traction Control System (TCS) [†] | |
| » Turn Assist [†] | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 SINGLE CAB XT

- | | | |
|--|--|--|
| » Cab chassis | » Android Auto™ (wireless & USB) [§] | » Blind Spot Monitor (BSM) [†] |
| » 17-inch alloy wheels | » Bluetooth® hands-free phone and audio capability [§] | » Dynamic Stability Control (DSC) [†] |
| » LED headlamps | » DAB+ digital radio | » Emergency Lane Keeping (ELK) – Overtaking [†] |
| » Body-coloured exterior mirrors with power adjustment | » USB-A charging point near rear vision mirror | » Emergency Lane Keeping (ELK) with road edge detection [†] |
| » Black cloth seat trim | » USB-C charging points (1 front) | » Emergency Stop Signal (ESS) [†] |
| » Air-conditioning | » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver) | » Hill Descent Control (HDC) [†] |
| » Power windows | » Anti-lock Braking System (ABS) [†] | » Hill Launch Assist (HLA) [†] |
| » Vinyl floor covering | » Attention Assist [†] | » Lane Departure Prevention (LDP) [†] |
| » Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†] | » Automatic High Beam (AHB) [†] | » Lane Departure Warning (LDW) [†] |
| » Idle Stop System | » Autonomous Emergency Braking(AEB) [†] | » Lane-keep Assist System (LAS) [†] |
| » 8-inch full-colour touch screen | | » Locking Rear Differential (LRD) - switchable on/off (4X4 models) |
| » Apple Carplay® (wireless & USB) [§] | | |

POWERTRAIN

- | | |
|--|---|
| » Rear Cross Traffic Alert (RCTA) [†] | » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System |
| » Rear Cross Traffic Brake (RCTB) [†] | » Drivetrain: 4x2 or 4x4 |
| » Reverse camera | » Transmission: 6-speed automatic |
| » Roll Over Protection (ROP) [†] | » Max power: 140kW @ 3,600 rpm |
| » Rough Terrain Mode (4X4 only) | » Max torque: 450Nm @ 1,600-2,600rpm |
| » Secondary Collision Reduction [†] | » Fuel consumption (combined): 7.8L/100km* (4x2 and 4x4) |
| » Speed Assist System [†] | |
| » Traction Control System (TCS) [†] | |
| » Turn Assist [†] | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 FREESTYLE CAB XT

- | | | |
|--|--|--|
| » Cab chassis | » Apple Carplay® (wireless & USB) [§] | » Autonomous Emergency Braking(AEB) [†] |
| » 17-inch alloy wheels | » Android Auto™ (wireless & USB) [§] | » Blind Spot Monitor (BSM) [†] |
| » Freestyle door system | » Bluetooth® hands-free phone and audio capability [§] | » Dynamic Stability Control (DSC) [†] |
| » LED headlamps | » DAB+ digital radio | » Emergency Lane Keeping (ELK) – Overtaking [†] |
| » Body-coloured exterior mirrors with power adjustment | » USB-A charging point near rear vision mirror | » Emergency Lane Keeping (ELK) with road edge detection [†] |
| » Black cloth seat trim | » USB-C charging points (1 front) | » Emergency Stop Signal (ESS) [†] |
| » Air-conditioning | » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver) | » Hill Descent Control (HDC) [†] |
| » Power windows | » Anti-lock Braking System (ABS) [†] | » Hill Launch Assist (HLA) [†] |
| » Vinyl floor covering | » Attention Assist [†] | » Lane Departure Prevention (LDP) [†] |
| » Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†] | » Automatic High Beam (AHB) [†] | » Lane Departure Warning (LDW) [†] |
| » Idle Stop System | | » Lane-keep Assist System (LAS) [†] |
| » 8-inch full-colour touch screen | | |

POWERTRAIN

- | | |
|--|---|
| » Locking Rear Differential (LRD) – switchable on/off (4X4 models) | » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System |
| » Rear Cross Traffic Alert (RCTA) [†] | » Drivetrain: 4x2 or 4x4 |
| » Rear Cross Traffic Brake (RCTB) [†] | » Transmission: 6-speed automatic |
| » Reverse camera | » Max power: 140kW @ 3,600 rpm |
| » Roll Over Protection (ROP) [†] | » Max torque: 450Nm @ 1,600-2,600rpm |
| » Rough Terrain Mode (4X4 only) | » Fuel consumption (combined): 7.8L/100km* (4x2 and 4x4) |
| » Secondary Collision Reduction [†] | |
| » Speed Assist System [†] | |
| » Traction Control System (TCS) [†] | |
| » Turn Assist [†] | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XS

- | | | |
|--|--|--|
| » Cab chassis or Pickup | » 8-inch full-colour touch screen | » Automatic High Beam (AHB) [†] |
| » 17-inch steel wheels (17-inch alloy wheels 4x4 pickup) | » Apple Carplay [®] (wireless & USB) [§] | » Autonomous Emergency Braking(AEB) [†] |
| » LED headlamps | » Android Auto [™] (wireless & USB) [§] | » Blind Spot Monitor (BSM) [†] |
| » Body-coloured exterior mirrors with power adjustment | » Bluetooth [®] hands-free phone and audio capability [§] | » Dynamic Stability Control (DSC) [†] |
| » Tailgate Assist (pickup models only) | » DAB+ digital radio | » Emergency Lane Keeping (ELK) - Overtaking [†] |
| » Black cloth seat trim | » USB-A charging point near rear vision mirror | » Emergency Lane Keeping (ELK) with road edge detection [†] |
| » Air-conditioning with rear vents | » USB-C charging points (1 front, 1 rear) | » Emergency Stop Signal (ESS) [†] |
| » Power windows | » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver) | » Hill Descent Control (HDC) [†] |
| » Vinyl floor covering | » Anti-lock Braking System (ABS) [†] | » Hill Launch Assist (HLA) [†] |
| » Idle Stop System | » Attention Assist [†] | » Lane Departure Prevention (LDP) [†] |
| » Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†] | | » Lane Departure Warning (LDW) [†] |

POWERTRAIN

- | | |
|--|--|
| » Lane-keep Assist System (LAS) [†] | » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System |
| » Locking Rear Differential (LRD) - switchable on/off (4X4 models) | » Drivetrain: 4x2 (pick-up only) or 4x4 |
| » Rear Cross Traffic Alert (RCTA) [†] | » Transmission: 8-speed automatic |
| » Rear Cross Traffic Brake (RCTB) [†] | » Max power: 120kW @ 3,600 rpm |
| » Rear parking sensors (pickup only) | » Max torque: 400Nm @ 1,600-2,400rpm |
| » Reverse camera | » Fuel consumption (combined): 7.1L/100km* (4x4 cab chassis) or 6.3L/100km* (4x2 pickup) or 6.6L/100km* (4x4 pickup) |
| » Roll Over Protection (ROP) [†] | |
| » Rough Terrain Mode (4X4 only) | |
| » Secondary Collision Reduction [†] | |
| » Speed Assist System [†] | |
| » Traction Control System (TCS) [†] | |
| » Turn Assist [†] | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XT

- | | | |
|--|--|--|
| » Cab chassis or Pickup | » 8-inch full-colour touch screen | » Automatic High Beam (AHB) [†] |
| » 17-inch alloy wheels | » Apple Carplay [®] (wireless & USB) [§] | » Autonomous Emergency Braking(AEB) [†] |
| » LED headlamps | » Android Auto [™] (wireless & USB) [§] | » Blind Spot Monitor (BSM) [†] |
| » Body-coloured exterior mirrors with power adjustment | » Bluetooth [®] hands-free phone and audio capability [§] | » Dynamic Stability Control (DSC) [†] |
| » Tailgate Assist (pickup models only) | » DAB+ digital radio | » Emergency Lane Keeping (ELK) - Overtaking [†] |
| » Black cloth seat trim | » USB-A charging point near rear vision mirror | » Emergency Lane Keeping (ELK) with road edge detection [†] |
| » Air-conditioning with rear vents | » USB-C charging points (1 front, 1 rear) | » Emergency Stop Signal (ESS) [†] |
| » Power windows | » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver) | » Hill Descent Control (HDC) [†] |
| » Vinyl floor covering | » Anti-lock Braking System (ABS) [†] | » Hill Launch Assist (HLA) [†] |
| » Idle Stop System | » Attention Assist [†] | » Lane Departure Prevention (LDP) [†] |
| » Intelligent Adaptive Cruise Control (iACC) with Stop & Go [†] | | » Lane Departure Warning (LDW) [†] |

POWERTRAIN

- | | |
|--|---|
| » Lane-keep Assist System (LAS) [†] | » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System |
| » Locking Rear Differential (LRD) - switchable on/off (4X4 models) | » Drivetrain: 4x2 or 4x4 |
| » Rear Cross Traffic Alert (RCTA) [†] | » Transmission: 6-speed automatic |
| » Rear Cross Traffic Brake (RCTB) [†] | » Max power: 140kW @ 3,600 rpm |
| » Rear parking sensors [†] (pickup only) | » Max torque: 450Nm @ 1,600-2,600rpm |
| » Reverse camera | » Fuel consumption (combined): 7.8L/100km* (4x2 and 4X4 cab chassis) or 7.1L/100km* (4x2 pickup and 4x4 pickup) |
| » Roll Over Protection (ROP) [†] | |
| » Rough Terrain Mode (4X4 only) | |
| » Secondary Collision Reduction [†] | |
| » Speed Assist System [†] | |
| » Traction Control System (TCS) [†] | |
| » Turn Assist [†] | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. * Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB XTR – ADDITIONAL TO XT

- | | | |
|---|--|--|
| » Cab chassis or Pickup | » Tow bar with reciever, tongue and wiring harness | » Leather wrapped steering wheel and gear knob |
| » 18-inch black and machined alloy wheels | » Tub liner (pickup models only) | » Rear seat with centre armrest |
| » Front fog lamps (LED) | » 9-inch full-colour touch screen | » Satellite navigation |
| » LED headlamps with auto levelling | » Advanced keyless entry | » Tyre Pressure Monitoring System (TPMS) |
| » Power folding exterior mirrors | » Auto-dimming interior mirror | » USB-C charging points (2 front, 1 rear) |
| » Side steps (silver) | » Carpet floor covering | |
| » Signature daytime running lamps | » Dual zone climate control air-conditioning with rear vents | |

POWERTRAIN

- | | |
|---|--|
| » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System | » Max torque: 450Nm @ 1,600-2,600rpm |
| » Drivetrain: 4x2 (pick-up only) or 4x4 | » Fuel consumption (combined): 7.8L/100km* (4x4 cab chassis) or 7.1L/100km* (4x2 and 4x4 pickup) |
| » Transmission: 6-speed automatic | |
| » Max power: 140kW @ 3,600 rpm | |

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



MAZDA BT-50 DUAL CAB GT — ADDITIONAL TO XTR

- » Cab chassis or Pickup
- » Heated exterior mirrors
- » Black leather seat trim[#]
- » Driver's seat with 8-way power adjustment
- » Heated front seats
- » Remote engine start
- » Front parking sensors[†] (pickup only)

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km* (4x4 cab chassis) or 7.1L/100km* (4x4 pickup)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. [#]Leather interior includes some Maztex material on selected high impact surfaces. ^Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



MAZDA BT-50 DUAL CAB SP — ADDITIONAL TO GT

- » Pickup
- » 18-inch black alloy wheels
- » Gloss black sail plane sports bar
- » Gloss black side steps
- » Gloss black fender flares
- » Gloss black roof rails
- » Gloss black exterior mirrors
- » Gloss black door and tailgate handles
- » Roller tonneau cover (manual operation)
- » Black & terracotta Maztex & cloth seat trim

POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System
- » Drivetrain: 4x4
- » Transmission: 6-speed automatic
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 7.8L/100km*

*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

CHOOSE YOUR COLOUR AND TRIMS



Ice White Solid

Geode White Pearl~

Ingot Silver Metallic~

Concrete Grey Mica~

Sailing Blue Metallic~

Red Earth Metallic~

True Black Mica~



Black cloth (XS, XT and XTR)



Black leather# (GT)



Black & Terracotta Maztex and synthetic suede



17-inch alloy on XT models



18-inch black and machined alloy on XTR and GT models



18-inch black alloy on SP model

~At extra cost. # Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

SPECIFICATIONS			4X2					
Powertrain		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR
Engine type		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System			2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	
Engine capacity		2,164cc	2,999cc			2,164cc	2,999cc	
Bore and stroke		83.0mm x 100.0mm	95.4mm x 104.9mm			83.0mm x 100.0mm	95.4mm x 104.9mm	
Compression ratio		15.9 : 1	16.3 : 1			15.9 : 1	16.3 : 1	
Maximum power		120kW @ 3,600 rpm	140kW @ 3,600 rpm			120kW @ 3,600 rpm	140kW @ 3,600 rpm	
Maximum torque		400 @ 1,600-2,400 rpm	450 @ 1,600-2,600 rpm			400 @ 1,600-2,400 rpm	450 @ 1,600-2,600 rpm	
Throttle control		Electronic (drive-by-wire)						
Fuel system		Common-rail, electronic direct injection						
Fuel tank capacity		76 litres						
Recommended fuel		Diesel						
Fuel consumption*	Combined	6.9	7.8			6.3	7.1	7.1
	Extra urban	6.3	7.4			5.5	6.4	6.5
	Urban	8.1	8.4			7.8	8.3	8.3
CO ₂ Emissions (g/km)*	Combined	183	204			167	185	187
Emissions standard		Euro stage V						
Alternator		12 volts - 90 amps						
Automatic transmission		8-speed	6-speed			8-speed	6-speed	
Gear ratio	1st	4.903	3.600			4.903	3.600	
	2nd	3.120	2.090			3.120	2.090	
	3rd	2.166	1.488			2.166	1.488	
	4th	1.597	1.000			1.597	1.000	
	5th	1.312	0.687			1.312	0.687	
	6th	1.000	0.580			1.000	0.580	
	7th	0.776	—			0.776	—	
	8th	0.651	—			0.651	—	
	reverse	4.050	3.732			4.050	3.732	
	final drive	3.583	3.727			3.583	3.727	

* Fuel consumption and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

Powertrain		4X4										
		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Engine type		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System			2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel with Idle Stop System			
Engine capacity		2,999cc		2,164cc	2,999cc			2,164cc	2,999cc			
Bore and stroke		95.4mm x 104.9mm		83.0mm x 100.0mm	95.4mm x 104.9mm			83.0mm x 100.0mm	95.4mm x 104.9mm			
Compression ratio		16.3 : 1		15.9 : 1	16.3 : 1			15.9 : 1	16.3 : 1			
Maximum power		140kW @ 3,600 rpm		120kW @ 3,600 rpm	140kW @ 3,600 rpm			120kW @ 3,600 rpm	140kW @ 3,600 rpm			
Maximum torque		450Nm @ 1,600-2,600 rpm		400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm			400Nm @ 1,600-2,400 rpm	450Nm @ 1,600-2,600 rpm			
Throttle control		Electronic (drive-by-wire)										
Fuel system		Common-rail, electronic direct injection										
Fuel tank capacity		76 litres										
Recommended fuel		Diesel										
Fuel consumption*	Combined	7.8		7.1	7.8			6.6	7.1		7.8	
	Extra urban	7.4		6.5	7.4			6.5	6.5		7.4	
	Urban	8.4		8.2	8.4			8.2	8.3		8.4	
CO ₂ Emissions (g/km)*	Combined	204		188	204			174	187		204	
Emissions standard		Euro stage V										
Alternator		12 volts - 90 amps										
Automatic transmission		6-speed		8-speed	6-speed			8-speed	6-speed			
Gear ratio	1st	3.600		4.903	3.600			4.903	3.600			
	2nd	2.090		3.120	2.090			3.120	2.090			
	3rd	1.488		2.166	1.488			2.166	1.488			
	4th	1.000		1.597	1.000			1.597	1.000			
	5th	0.687		1.312	0.687			1.312	0.687			
	6th	0.580		1.000	0.580			1.000	0.580			
	7th	—		0.776	—			0.776	—			
	8th	—		0.651	—			0.651	—			
	reverse	3.732		4.050	3.732			4.050	3.732			
	final drive	3.727		3.583	3.727			3.583	3.727			
Transfer gear	high	1.000		—	1.000			1.000	1.000			
	low	2.482		—	2.482			2.482	2.482			

* Fuel consumption and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption and emissions of different vehicles. They may not be achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

SPECIFICATIONS		4X2																
Chassis		Single Cab Chassis XS		Single Cab Chassis XT		Freestyle Cab Chassis XT		Dual Cab Chassis XS		Dual Cab Chassis XT		Dual Cab Pickup XS		Dual Cab Pickup XT		Dual Cab Pickup XTR		
Brake diameter	front	320 mm																
	rear	295 mm																
Brake type	front	Ventilated disc																
	rear	Drum																
Steering type		Electric Power Assist Steering (EPAS)																
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar																
	rear	Rigid (live) rear axle with heavy-duty leaf springs																
Turning circle	kerb to kerb	12.5 m																
Tyre size		255/65 R17															265/60 R18	
Tyre index		110S																
Wheel size		17 x 7.0 J															18 x 7.5 J	
Wheel type		Steel		Alloy		Alloy		Steel		Alloy		Steel		Alloy		Alloy		
Wheel size (spare)		17 x 7.0 J															18 x 7.5 J	
Wheel type (spare)		Steel															Alloy	

		4X4										
Chassis		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Brake diameter	front	320 mm										
	rear	295 mm										
Brake type	front	Ventilated disc										
	rear	Drum										
Steering type		Electric Power Assist Steering (EPAS)										
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar										
	rear	Rigid (live) rear axle with heavy-duty leaf springs					Rigid (live) rear axle with leaf springs					
Turning circle	kerb to kerb	12.5 m										
Tyre size		255/65 R17				265/60 R18		255/65 R17		265/60 R18		
Tyre index		110S										
Wheel size		17 x 7.0 J				18 x 7.5 J		17 x 7.0 J		18 x 7.5 J		
Wheel type		Steel	Alloy	Steel	Alloy	Alloy		Alloy		Alloy		
Wheel size (spare)		17 x 7.0 J				18 x 7.5 J		17 x 7.0 J		18 x 7.5 J		
Wheel type (spare)		Steel	Steel	Steel	Steel	Alloy	Alloy	Steel	Steel	Alloy	Alloy	Alloy

SPECIFICATIONS

SPECIFICATIONS		4X2						4X4											
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Weights and capacities																			
Axle capacity	front	1,450 kg						1,450 kg											
	rear	1,910 kg						1,910 kg											
Gross Combined Mass (GCM) ¹		5,850 kg						6,000 kg											
Gross Vehicle Mass (GVM) ²		3,000 kg						3,100 kg											
Kerb weight ³		1,643 kg	1,684 kg	1,755 kg	1,806 kg	1,888 kg	1,929 kg	2,012 kg	1,770 kg	1,841 kg	1,852 kg	1,892 kg	1,956 kg	1,959 kg	1,961 kg	2,015 kg	2,098 kg	2,102 kg	2,176 kg
Kerb weight when fitted with Mazda Standard Alloy Tray ³		1,787 kg	1,828 kg	1,880 kg	1,920 kg	—	—	—	1,914 kg	1,966 kg	1,966 kg	2,006 kg	2,070 kg	2,073 kg	—	—	—	—	—
Maximum payload ⁴		1,357 kg	1,316 kg	1,245 kg	1,194 kg	1,112 kg	1,071 kg	988 kg	1,330 kg	1,259 kg	1,248 kg	1,208 kg	1,144 kg	1,141 kg	1,139 kg	1,085 kg	1,002 kg	998 kg	924 kg
Maximum payload when fitted with Mazda Standard Alloy Tray ⁴		1,213 kg	1,172 kg	1,120 kg	1,080 kg	—	—	—	1,186 kg	1,134 kg	1,134 kg	1,094 kg	1,030 kg	1,027 kg	—	—	—	—	—
Seating capacity		2	2	2	5	5	5	5	2	2	5	5	5	5	5	5	5	5	5
Towing capacity [¶]	braked	3,500 kg						3,500 kg											
	unbraked	750 kg						750 kg											

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

1 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

2 Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

3 Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

4 Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

SPECIFICATIONS

SPECIFICATIONS		4X2							4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Dimensions																			
Cargo box floor height to ground (mm)		—	—	—	—	828 mm	828 mm	833 mm	—	—	—	—	—	—	828 mm	828 mm	833 mm	833 mm	833 mm
Cargo box floor length (mm)		—	—	—	—	1,571 mm	1,571 mm	1,571 mm	—	—	—	—	—	—	1,571 mm	1,571 mm	1,571 mm	1,571 mm	1,571 mm
Cargo box floor width between wheel arches		—	—	—	—	1,120 mm	1,120 mm	1,120 mm	—	—	—	—	—	—	1,120 mm	1,120 mm	1,120 mm	1,120 mm	1,120 mm
Cargo box width at top rail (mm)		—	—	—	—	1,530 mm	1,530 mm	1,530 mm	—	—	—	—	—	—	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm
Cargo box height (mm)		—	—	—	—	490 mm	490 mm	490 mm	—	—	—	—	—	—	490 mm	490 mm	490 mm	490 mm	490 mm
Ground clearance (mm): Unladen		235 mm	235 mm	235 mm	235 mm	235 mm	235 mm	240 mm	235 mm	235 mm	235 mm	235 mm	240 mm	240 mm	235 mm	235 mm	240 mm	240 mm	240 mm
Overall height (mm)		1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,785 mm	1,785 mm	1,790 mm	1,790 mm	1,810 mm
Overall length (mm)	Without tow bar tongue	5,320 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm
	With tow bar tongue	—	—	—	—	—	—	5,430 mm	—	—	—	—	5,430 mm	5,430 mm	—	—	5,430 mm	5,430 mm	5,460 mm
Overall width (mm)	Excluding mirrors	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm
	Mirrors folded	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm
	Mirrors open	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm
Overhang (mm):	Front	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	935 mm
	Rear (without tow bar tongue)	1,290 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm
	Rear (with tow bar tongue)	—	—	—	—	—	—	1,400 mm	—	—	—	—	1,445 mm	1,445 mm	—	—	1,400 mm	1,400 mm	1,400 mm
Track (mm):	Front	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
	Rear	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
Maximum wading depth (mm) [#]		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase (mm)		3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.4°	29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	23.9°	17.9°	24.6°	25.3°	25.3°	25.3°	25.6°	25.6°	23.9°	23.9°	17.9°	17.9°	17.9°
Ramp breakover angle (°)		23.9°	23.9°	23.9°	23.9°	23.3°	23.3°	23.8°	23.9°	23.9°	23.9°	23.9°	24.3°	24.3°	23.3°	23.3°	23.8°	23.8°	24.3°

[#]Maximum wading depth is possible only when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is stationary in water of more than 350mm depth.

SPECIFICATIONS

		4X2							4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Exterior	Alloy wheels	17-inch steel	●	—	—	—	●	—	—	—	●	—	—	—	—	—	—	—	—
		17-inch black alloy	—	●	●	—	●	—	●	●	—	●	—	—	●	●	—	—	—
		18-inch black and machined	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	—
		18-inch metallic black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
	Cargo box features:	Double wall construction	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●
		Interior rope hooks (2)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
		Interior rope hooks (4)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tub liner	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tailgate features:	Lockable	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Body colour release handle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Chrome release handle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Gloss black release handle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Tailgate Assist	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Roller tonneau cover	Manual operation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Daytime running lamps	Halogen	●	●	●	●	●	—	●	●	●	●	●	●	●	●	—	—	—
		LED	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Door handles	Body Colour	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
		Chrome	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fog-lamps	Front	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Freestyle door system		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fuel filler cap	Lockable cap	●	●	●	●	—	—	●	●	●	●	●	●	—	—	—	—	—
		Remote release flap	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Headlamps (LED)	LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
		Manual levelling	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
		Auto levelling	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Signature illumination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Auto on/off	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
		Automatic High Beam (AHB) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, ○ = Option, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

SPECIFICATIONS		4X2						4X4											
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Exterior																			
Metallic/mica/pearl paint		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Mudflaps	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Rear	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	
Exterior mirrors	Body Colour	●	●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	●	—
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
	Power adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Power folding	—	—	—	—	—	—	●	—	—	—	—	—	●	—	—	●	●	●
	Heated	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	●
Power windows		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear step bumper	Body colour	—	—	—	—	●	●	●	—	—	—	—	—	—	●	●	●	●	●
Roof rails	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Side steps	Silver	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	—
	Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Sports bar	Black sail plane	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Tow bar with receiver, tongue and wiring harness		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Under-body impact protection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, ○ = Option, — = Not available.

SPECIFICATIONS

		4X2							4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Interior																			
Multi Information Display	4.2-in Colour LCD	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
	7-in Colour LCD	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Air-conditioning	Manual	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
	Dual-zone climate control	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Ambient temperature display		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auxiliary 12 volt power outlet		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre armrest console		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Convenience hook (rear of passenger seat)		—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
Cruise Control	Intelligent Adaptive Cruise Control (iACC) with Stop & Go†	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Traffic Jam Assist†	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Idle Stop System		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cupholders	Front	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Rear	—	—	—	—	—	—	2	—	—	—	—	2	2	—	—	2	2	2
Door pockets		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver's left footrest		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Floor covering:	Vinyl	●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
	Carpet	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Glove box	Upper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lower, lockable	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Instrument panel light dimmer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Interior illumination:	Dome lamp	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Leather-wrapped:	Gear shift knob	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
	Steering wheel	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Low fuel warning light		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One touch (up and down) power window (driver)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Overhead sunglass storage box		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger assist grips		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear centre fold-down armrest		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

SPECIFICATIONS			4X2							4X4									
			Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT
Interior																			
Rear-view mirror with auto dimming function			—	—	—	—	—	—	—	—	—	—	●	●	—	—	●	●	●
Tachometer and electronic odometer/tripmeter			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tilt and reach adjustable steering wheel			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trip computer			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Vanity mirror	Driver	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
	Front passenger	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window demister (rear)			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-A charging point near rear vision mirror			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-C Charging Port	Front	1	1	1	1	1	1	2	1	1	1	1	2	2	1	1	2	2	2
	Rear	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Seats																			
Front seat (driver bucket) with:	8-way power adjustment	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	●
	Adjustable head restraint	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lumbar adjustment	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front seat (passenger bucket) with:	Adjustable head restraint	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Seat back pocket	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
	Seat back convenience hook	—	—	●	●	●	●	●	—	●	●	●	●	●	●	●	●	●	●
Front seats with:	Heating function	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	●	
Rear seat (bench) with:	Adjustable head restraints	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
	Centre armrest	—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
	60/40 foldable seat base and underseat storage	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Seat trim:	Black cloth	●	●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	—	—
	Black leather#	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	—
	Black & terracotta Maztex & synthetic suede	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●

● = Standard, — = Not available.

Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

SPECIFICATIONS		4X2						4X4											
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Infotainment																			
8-inch full colour touch screen		●	●	●	●	●	●	—	●	●	●	●	—	—	●	●	—	—	—
9-inch full colour touch screen		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Radio	AM/FM with Radio Data System (RDS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	DAB+ digital	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Apple Carplay®§	Wireless or USB	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Android Auto™§	Wireless or USB	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability§		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Satellite navigation		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●
Speakers		2	2	2	4	4	4	6	2	2	6	6	8	8	6	6	8	8	8
Steering wheel-mounted audio controls		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-C device port§		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

SPECIFICATIONS

SPECIFICATIONS		4X2							4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Chassis XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Safety and Security																			
Advanced keyless entry with push-button start		—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●	
Automatic High Beam (AHB) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Autonomous Emergency Braking (AEB) [†]	Low speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	High speed	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Pedestrian, cycle and motorcycle detection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Turn Assist (car and pedestrian)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Airbags SRS:	Curtain (front and rear)	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	
	Curtain (front)	●	●	●	—	—	—	—	●	●	—	—	—	—	—	—	—	—	
	Front (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Side (front)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Farside (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Knee (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Alarm		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Anti-lock Braking System (ABS)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Attention Assist [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Blind Spot Support	Blind Spot Monitor (BSM) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Rear Cross Traffic Alert (RCTA) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Rear Cross Traffic Brake (RCTB) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Childproof rear door locks		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	
Electronic Stability Control (ESC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Electronic Brake-force Distribution (EBD)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Brake Assist (BA) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Emergency Lane Keeping (ELK) – Overtaking [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Emergency Stop Signal (ESS) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Engine immobiliser		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Forward Collision Warning (FCW) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
High mount stop lamp		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Hill Descent Control (HDC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Hill Launch Assist (HLA) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Intelligent Speed Limiter (ISL) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Intrusion-minimising brake pedal		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
ISOFIX child restraint anchor points and top tethers (2)		—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

SPECIFICATIONS		4X2							4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XS	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP
Safety and Security																			
Lane Support System	Lane Departure Prevention (LDP) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lane Departure Warning (LDW) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lane-keep Assist System (LAS) [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Emergency Lane Keeping (ELK) – with road edge detection [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Emergency Lane Keeping (ELK) – overtaking [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Locking Rear Differential (LRD) – switchable on/off		—	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter (MSL) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Parking aids	Parking Sensors – Front [†]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●
	Parking Sensors – Rear [†]	—	—	—	●	—	●	●	—	—	—	—	—	●	●	●	●	●	●
	Reverse camera [†]	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Remote Engine Start [#]		—	—	—	—	—	—	—	—	—	—	—	—	●	—	—	—	●	●
Remote central locking (2 transmitters)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Roll Over Protection (ROP) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rough Terrain Mode [†]						—			●	●	●	●	●	●	●	●	●	●	●
Seat-belt warning with occupant detection sensor	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Seat-belts 3-point lap-sash (all seats)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (front) with:	Height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear outside) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
	Pretensioners and load-limiters	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Seat-belts (rear centre) with:	Fixed height shoulder anchorages	—	—	—	●	●	●	●	—	—	●	●	●	●	●	●	●	●	●
Secondary Collision Reduction		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side impact door beams		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trailer Sway Control (TSC) [†]		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS)		—	—	—	—	—	—	●	—	—	—	—	●	●	—	—	●	●	●

● = Standard, — = Not available, A = Automatic transmission only.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver’s sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

[#] Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



For further information, visit [mazda.com.au](https://www.mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](https://www.mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170.

Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published November 2025. AU41-P00003897